

# Tron 60GPS

EPIRB with float-free and manual bracket



- Global sales and support network
- Antenna mounted LED for increased visibility
- Integrated GPS ensures accurate positioning
- Compatible with MEOSAR
- 10 year battery life
- 5 year warranty

# Tron 60GPS

## A compact and tamper-proof GMDSS EPIRB

Tron 60GPS is small and compact, and supplied either with a manual or a float-free bracket. This EPIRB is totally sealed and has 5 year warranty. Tron 60GPS has optimal visibility with a high-intensity LED located at the top of the antenna.

## Specifications

PARAMETER	
Battery	Lithium iron disulfide, 12 V/2900 mAh 10 year service life
Dimensions	H: 340 mm, W: 128 mm
Weight	700 g
Material	Glass reinforced polycarbonate
Compass safe distance	0.85 m
Temperature range	Operating: -20°C to + 55°C Storage: -30°C to +70°C
Operating life	Minimum 48 hours at -20°C
Cospas-Sarsat transmitter	Frequency: 406.037 MHz, output power: 5 W
Homing transmitter	Frequency: 121.500 MHz
Protocols	Maritime with MMSI, Maritime with Radio Call Sign, Serial Number and Radio Call Sign
Navigation device	56 channel GPS receiver
Standard	IEC 61097-2 Ed.3, IEC 60945 Ed.4
<b>ACCESSORIES</b>	
Brackets	Float-free FB-60 and manual MB-60
Battery	Replacement kit
Hydrostatic release	HRU kit
<b>WARRANTY</b>	5 year

## Float-free and manual bracket



Approved:

FC IC CE