

# SLIM FLUSH MOUNT FIXTURE

## Installation Instructions

**MODEL NUMBERS: SFM5 / SFM7 / SFM9 / SFM11 / SFM13**

### Contact Information

For support & assistance, please feel free to contact us:

**Email:** [info@medinahpower.com](mailto:info@medinahpower.com)

**Web:** [www.medinahpower.com](http://www.medinahpower.com)

**Phone:** +1 (844) 870-5337

### IMPORTANT SAFETY INFORMATION

**Read this entire manual before attempting installation or operation.**

This fixture is designed to operate with either 120–277VAC or 277–480VAC. Installation must follow all local and national electrical codes.

### GENERAL SAFETY PRECAUTIONS

- Read this entire manual before installation.
- Installation must follow national and local electrical codes.
- Only qualified electricians should perform installation or maintenance.
- Disconnect power at the breaker before installing.
- Use approved connectors such as wire nuts.
- Ground the fixture properly.
- Do not install in wet locations unless rated for such use.
- Allow the fixture to cool before handling.

### FCC COMPLIANCE NOTICE

- This device complies with Part 15 of the FCC Rules. Operation is subject to:
    - This device may not cause harmful interference.
    - This device must accept any interference received.
- Unauthorized modifications may void user authority to operate the equipment.

### CAUTION

- Do not test the LED light using a portable generator.
- Follow all local, regional, and national regulations.
- Do not install during rain or in wet conditions to prevent shock or damage.
- Use gloves during installation to avoid injury.
- In case of smoke, fire, or unusual odor, shut off power immediately and contact a qualified technician.
- This fixture is suitable for outdoor installations.

# SLIM FLUSH MOUNT FIXTURE

## Installation Instructions

### PRODUCT FUNCTIONALITY & WIRING

- **Voltage Input:** 120V AC
- **Dimming:** TRIAC compatible
- **Installation Type:** Surface mount / flush mount
- **Mounting Base:** Junction box (standard size)

Wire Connections:


- **Black (Line):** Connect to power supply hot/live
- **White (Neutral):** Connect to power supply neutral
- **Green (Ground):** Connect to ground wire in junction box

### INSTALLATION STEPS

**NOTE:** Ensure power is turned off at the breaker panel before beginning installation.

#### STEP 1: POWER OFF

- Switch off power at the breaker panel.




#### STEP 2: FIXTURE PREPARATION

- Open the fixture by carefully removing the lens.
- Unscrew and remove the mounting plate from the fixture body.


Black ——— L  
White ——— N  
copper ——— G

#### Junction Box




#### STEP 3: MOUNTING PLATE INSTALLATION

- Align and attach the mounting plate to the junction box using the included screws.
- Ensure the plate is secured flush against the ceiling.



#### STEP 4: WIRING CONNECTIONS

- Pull the supply wires through the center opening of the mounting plate.
- Connect fixture wires to the power supply wires:
- Black to Live (L)
  - White to Neutral (N)
  - Green to Ground (G)
- Secure all connections with wire nuts and carefully push wires into the box.



**Contact us :** For support & assistance, please feel free to contact us below.


**E-Mail:** [info@medinahpower.com](mailto:info@medinahpower.com) | **Web:** [www.medinahpower.com](http://www.medinahpower.com) | **Ph:** +1 (844) 870-5337

# SLIM FLUSH MOUNT FIXTURE

## Installation Instructions

### STEP 5: FIXTURE INSTALLATION

- Align the fixture base with the mounting plate.
- Secure the fixture using the provided side screws, tightening until flush.




### STEP 6: COMPLETE ASSEMBLY

- Reinstall the lens by snapping or rotating it into place.
- Confirm that the fixture is tightly fitted and flush with the ceiling.

### POWER ON AND TEST

- Restore power at the circuit breaker.
- Turn on the switch and verify that the light operates correctly.



### USAGE, CARE & MAINTENANCE

- Designed for indoor use in dry or damp environments.
- Do not use in wet environments unless otherwise specified.
- Clean with a soft, dry cloth. Avoid using abrasive materials.
- Periodically check fixture integrity and wiring.
- Only use manufacturer-approved replacement parts.

**NOTE:** Always disconnect power before performing maintenance.

# SLIM FLUSH MOUNT FIXTURE

## Installation Instructions

**NEED HELP? CONTACT MEDINAH POWER:**

**Email:** [info@medinahpower.com](mailto:info@medinahpower.com)

**Website:** [www.medinahpower.com](http://www.medinahpower.com)

**Phone:** +1 (844) 870-5337

**RETAIN THIS MANUAL FOR FUTURE USE**