

AWESOME METAL *Special*



MÜLLER Tipp:
elektronisches Dokument
Artikelsuche mit "Strg + F"

MUELLER Tip:
electronic document
Product Search "Ctrl + F"

Apple: "⌘ + F"



1 Suspension



page 3

2 Brake & Wheel



page 21

3 Engine



page 39

4 Cutting Tools



page 50

5 Collision Tools



page 52

6 Universal Tools



page 64

7 Power Tools



page 81

8 Equipment



page 86

9 Merchandise



page 92

UNIVERSAL PRESS SUPPORT

Suspension



WATCH DEMO HERE:



Makes the shop press safe and easy to use.

Creates three points of contact for stability and is infinitely adjustable to fit irregularly shaped objects.

Includes:

- 3 Pressure distribution washers
- 3 High pressure nuts
- 2 Medium high strength studs
- 2 Long high strength studs
- 1 Short high strength stud
- Swivel lock
- Base with innovative numbering system for easy use

432 650 Universal Press Support

TWIN-CONE WHEEL BEARING KIT






WATCH DEMO HERE:



New principle for the screwed wheel bearings. Fits the majority of other wheel bearings as well. Provides a solid connection, so it is easier to remove when using a slide hammer.

432 005 Twin-Cone Wheel Bearing Kit



UNI WHEEL BEARING KIT

Suitable for almost all vehicles **with bearing hub units (compact bearings)** as well as vehicles with **conventional wheel bearings**.

Can be used to assemble or disassemble.

Can also be used with hydraulic hollow piston cylinders or under the workshop press.

This kit comes in a sturdy case and includes a "Vibro-Impact" spindle. Parts available separately. Made in Germany.

432 030 Uni Wheel Bearing Kit

UNIVERSAL PRESS DISC KIT

Reducing rings Ø:
80, 100, 120 mm

Receiving ring
e.g. for axle stubs Ø:
OD 130 x ID 110 mm

Press discs Ø:
60, 65, 68, 70, 72, 74, 77, 80, 82, 85 mm

Universal tool set for pressing in or out wheel bearings, bushings, shaft seals etc.
Kit consists of 10 press discs, 3 reducing rings, 1 receiving ring, and 1 driver.
Supplied in a quality storage case.

432 600 Universal Press Disc Kit

UNIVERSAL PRESS RING

To be used in conjunction with the Universal Press Plate #432 650. This tool will help you press out wheel bearings by holding the hubs.

A large diameter ring (7") sits across the press plate allowing large hubs to be placed on the ring.

Great alternative to V blocks and having to stack multiple items which create an unstable support for your press.

432 711 Universal Press Ring





SUSPENSION WEAR INDICATOR



**Strut Bushing
and Bearings**


Link Pin Bushings

**Wheel Bearing
and CV Axle Play**

Ball Joints

**Tie Rod Ends
and Rack Mounts**

**Torsion Bar
Bushings
Control Arm
Bushings**



This innovative tool effectively helps identify all kinds of worn suspension components

Allows user to positively SEE, FEEL and HEAR problem areas while performing diagnostics.

432 910

U.S. Patent pending

Suspension Wear Indicator



WATCH DEMO HERE:

SUSPENSION KIT



The master suspension kit can help you remove all components of the wheel knuckle. From the wheel bearing assembly, to the drive shaft push out and even lower ball joint/suspension arm removal.

The kit includes:

- XL slide hammer
- Drop forged flange
- Drop forged hook
- Twin cone set with a "VIBRO-IMPACT" spindle
- Adaptor to use your existing tools with the XL slide hammer.

All components are neatly stored in our signature neon green carrying case.

433 100 **Suspension Kit**



UNI DRIVE SHAFT PUSHER / HUB PULLER


Universal tool for pushing out bonded (micro-encapsulated) or heavily corroded drive shafts.

Damage to the drive shaft thread is prevented. Suitable for almost all 4- and 5-hole wheel hubs with a pitch circle diameter up to 5 ²³/₆₄".

The "VIBRO-IMPACT" principle: the vibration impact of the pneumatic wrench is transmitted to the wheel hub and to the drive shaft through the trapezoidal thread spindle.

When used in conjunction with the slide hammer 433 450, the drop-forged flange can also be used for extracting wheel hubs.

433 414 **Uni Drive Shaft Pusher / Hub Puller ***
Original "VIBRO-IMPACT"



*airtool not included

XL WHEEL HUB SLIDE HAMMER

Kit contains:



433 450 XL Slide Hammer
with 13 lb / 6 Kg Weight

433 450-3

Optional 6.6 lb / 3 kg add on weight
for additional power.



433 450/14
Adapter UN 1 1/2"



433 433
Wheel Hub Basic Unit

Suitable for 4 and 5 lug applications. Drop forged for exceptional strength.

Provides up to 11 tons of pulling power for quick disassembly of even the toughest jobs.

433 437 **XL Wheel Hub Slide Hammer**




TIE ROD WRENCH



Inner tie rod multi grip plier!

Alignment problems due to a rusty and stuck inner tie rod? This plier has the grip you need on any round or hex surface of the rod. Includes two lengths of levers, one for maximum power and one for narrow spaces.

512 002 **Tie Rod Wrench**



Grip width: 1.6"
Grip diameter: 1/2" - 29/32"
Lever length: 10.2" - 15.4"


EXCENTRIC TURN CHUCK



Completely Drop-Forged



Maximum Grip



Opens
both ways



WATCH DEMO HERE:

1/2" Drive for Maximum Power when used with:

- Extra Long Extension
- Breaker Bar
- Ratchet

PROFESSIONAL DISTRIBUTOR
Most Wanted

Special tool for servicing and adjusting tie rod ends.

Tool opens both ways to allow universal usage for easy tie rod replacement or wheel alignment.

608 950 Exentric Turn Chuck
U.S. Patent

WRENCH EXTENDER

Wrench extender to loosen tight connection in hard to reach areas.

- Fits wrenches perfectly
- To loosen tight connection of hex, TX and XZN
- Reduces risk of injuries.

745 099 Wrench Extender Mini
length: 9"; max. SW14 / 14mm / 1/2"

745 100 Wrench Extender Standard
length: 13"; max. SW26 / 26mm / 1"

745 101 Wrench Extender Medium
length: 18"; max. SW32 / 32mm / 1 1/4"

745 102 Wrench Extender Large
length: 23"; max. SW46 / 46mm / 1 13/16"

745 111 Multi Access Wrench Extender
length: 5.5"; max. SW24 / 24mm

745 111



745 099



745 100



745 101



745 102





BALL JOINT SEPARATOR KIT



609 033

"VIBRO-IMPACT" spindle



Fast and safe removal of suspension and steering system ball joints.



Designed to be used with an impact tool



- The Ball Joint Separator has a very rugged and flat design, with 3 interchangeable forks. These are attached to the center screw to allow continuous adjustment within the jaw capacity range.
- Completely drop forged.
- Jaw capacity range from 1 3/16" - 2 1/2"
- 3 different fork sizes (24, 27 and 31 mm) makes this a very adaptable separator.
- e.g. Audi / VW (A3, A4 and A6 with double wishbone), BMW, Mercedes-Benz.
- Comes with "Vibro-Impact" reaction screw. Making your work quick and safe.
- Will not damage aluminum parts and rubber components.
- **IMPORTANT TO NOTE:**
Always keep the forks parallel to each other when tool is in use.



WATCH DEMO HERE:

609 033 **Ball Joint Separator Kit**
609 033/5 **Ball Joint Separator Kit** incl. Wall Mount



609 033/5

All Forks separately available:

Size	no.
24mm	609 033-24
27mm	609 033-27
31mm	609 033-31

optional:

36mm	609 033-36
------	------------

VIBRO-IMPACT® BELL SHAPE SEPARATOR



Due to the "Vibro-Impact" principle you can now remove suspension joints with your Impact. Reduce the force needed to prevent damage. This drop-forged tool makes removing the suspension fast and easy.

609 035 Bell Shape Separator 1 3/8"

Combination tools for dismantling and installing the suspension joints for a VW LT/DB Sprinter directly on the vehicle.

609 147/V2 Pressure Piece Kit LT/Sprinter

609 312 Universal Base Frame incl. 12 ton. Hydraulic Spindle



609 147/V2



609 312

XS PRESS AND PULL SLEEVE KIT



WATCH DEMO HERE:



609 390

**THE #1 MANUFACTURER
IN THE WORLD OF PRESS AND
PULL SLEEVE KITS!!**

Spindle with
rolled thread



Sleeves outer diameter from:

$1\frac{5}{16}'' - 1\frac{21}{32}''$

**Sleeves can be stacked
with # 609 400 sleeves**

Universal tool set for extracting and mounting: silent bearings, hydraulic bearings, ball bearings, rubber bearings, shaft seals, bearing bushings, etc.

Universal application makes it ideal for various vehicles, especially newer cars with smaller bearings.

609 390/Basic can be used in combination with the # 609 400 Press and Pull Kit.

609 390

XS Press and Pull Sleeve Kit

(10 Sleeves, 3 Spindles, 4 Discs)

609 390/Basic XS Press and Pull Sleeve Kit Basic

(10 Sleeves, 1 Spindle)




609 390/Basic

PRESS AND PULL SLEEVE KIT



WATCH DEMO HERE:

PROFESSIONAL DISTRIBUTOR
 Most Wanted



Sleeves outer diameter from:
 $1\frac{3}{4}" - 3\frac{1}{8}"$



Universal tool set for extracting and mounting: silent bearings, hydraulic bearings, ball bearings, rubber bearings, shaft seals, bearing bushings, etc.
 Ideal for various vehicles due to its universal application.

609 399

Press and Pull Sleeve Kit Basic
 (8 Sleeves, 2 Spindles, 4 Discs)

609 399/Upgrade

Press and Pull Sleeve Kit Upgrade
 (12 Sleeves, 2 Spindles)

609 400

Press and Pull Sleeve Kit
 (20 Sleeves, 4 Spindles, 4 Discs)





PRESS AND PULL SLEEVE COMBINATION KIT



WATCH DEMO HERE:



The #1 Press & Pull kit on the market!

- Our complete package! 20 Sleeves / 4 Discs!
- Sleeves can be stacked.
- Sleeves outer diameter range: 1¼" – 3⅝"
- Including XL C-Clamp
- Includes "Vibro-Impact" Spindle, allowing the use of an impact wrench
- Comes in our signature neon green carrying case.

Applications:

Remove/Install:

- Silent Bearings
- Hydraulic Bearings
- Ball Bearings
- Shaft Seals/Bearing Bushings
- Rubber Bearings
- Etc.

609 400/460

**Press and Pull Sleeve
Combination Kit**



UNIVERSAL PRESS AND PULL SLEEVE KIT TYPE II



609 420



Sleeves outer diameter from:
3 11/32" - 4 13/16"



609 420/Basic



- Universal tool set for removing and installing all types of bushings, bearings and seals.
- Includes sleeves that are large enough to fit most heavy duty applications.

609 420

U.S. Patent pending

609 420/Basic

Universal Press and Pull Sleeve Kit Type II (20 Sleeves, 6 Spindles, 4 Discs)

Universal Press and Pull Sleeve Kit Type II Basic (8 Sleeves, 3 Spindles, 4 Discs)



WATCH DEMO HERE:



C-CLAMP AND BASE FRAME KIT



609 460



609 465

A supplementary tool for # 609 390, # 609 399 and the # 609 400, Universal Press and Pull Sleeve Kits.

Specifically made for use with **impact tools** to increase power and speed.

609 465 **Combo with # 609 315 + # 609 460
in Foam Inlay**

609 460 **C-Clamp with Impact Spindle**



XL PRESS FRAME



609 312 **Press Frame with
12T Hydraulic Spindle
(7.9\") long**



609 315 **XL Press Frame
without Spindle
13.8\" length**

A supplementary tool for
609 460, XL C-Clamp and
609 390,
609 399 and
609 400,
Universal Press and
Pull Sleeve Kit.

**Specifically made to
increase power and speed.**



609 316 **XL Press Frame
with Impact Spindle
(13.8\") long**

CONTENTS FOR PRESS AND PULL SLEEVE KIT

Art.no.	609 420	609 400/ 460	609 400	609 399	609 390 XS	609 390/Basic XS	609 390/ 10 XS
609 390-1					x	x	Blow case for 609 390
609 390-14/24					x	x	XS-Sleeve I: 14 A: 24
609 390-16/26					x	x	XS-Sleeve I: 16 A: 26
609 390-18/28					x	x	XS-Sleeve I: 18 A: 28
609 390-20/30					x	x	XS-Sleeve I: 20 A: 30
609 390-22/32					x	x	XS-Sleeve I: 22 A: 32
609 390-24/34					x	x	XS-Sleeve I: 24 A: 34
609 390-26/36					x	x	XS-Sleeve I: 26 A: 36
609 390-28/38					x	x	XS-Sleeve I: 28 A: 38
609 390-30/40					x	x	XS-Sleeve I: 30 A: 40
609 390-32/42					x	x	XS-Sleeve I: 32 A: 42
609 400		x	x				Pressing + Pulling Tube Kit
609 400-34/44		x	x	x			Press-Pull Sleeve I: 34 mm A: 44 mm
609 400-36/46		x	x				Press-Pull Sleeve I: 36 mm A: 46 mm
609 400-38/48		x	x				Press-Pull Sleeve I: 38 mm A: 48 mm
609 400-40/50		x	x				Press-Pull Sleeve I: 40 mm A: 50 mm
609 400-42/52		x	x	x			Press-Pull Sleeve I: 42 mm A: 52 mm
609 400-44/54		x	x	x			Press-Pull Sleeve I: 44 mm A: 54 mm
609 400-46/56		x	x	x			Press-Pull Sleeve I: 46 mm A: 56 mm
609 400-48/58		x	x				Press-Pull Sleeve I: 48 mm A: 58 mm
609 400-50/60		x	x				Press-Pull Sleeve I: 50 mm A: 60 mm
609 400-52/62		x	x	x			Press-Pull Sleeve I: 52 mm A: 62 mm
609 400-54/64		x	x				Press-Pull Sleeve I: 54 mm A: 64 mm
609 400-56/66		x	x				Press-Pull Sleeve I: 56 mm A: 66 mm
609 400-58/68		x	x				Press-Pull Sleeve I: 58 mm A: 68 mm
609 400-60/70		x	x				Press-Pull Sleeve I: 60 mm A: 70 mm
609 400-62/72		x	x				Press-Pull Sleeve I: 62 mm A: 72 mm
609 400-64/74		x	x	x			Press-Pull Sleeve I: 64 mm A: 74 mm
609 400-66/76		x	x				Press-Pull Sleeve I: 66 mm A: 76 mm
609 400-68/78		x	x				Press-Pull Sleeve I: 68 mm A: 78 mm
609 400-70/80		x	x	x			Press-Pull Sleeve I: 70 mm A: 80 mm
609 400-72/82		x	x	x			Press-Pull Sleeve I: 72 mm A: 82 mm
609 400/D10	2x	2x	2x		2x		Nut M10 with Bearing
609 400/D12	2x	2x	2x	2x	2x		Nut M12 with Bearing
609 400/D14	2x	2x	2x				Nut M14 with Bearing
609 400/D16		2x	2x	2x			Nut M16 with Bearing
609 400/K			x				Blow Case for 609 400
609 400/P1		x	x	x	x		Step Disc No. 1 Size: 34, 42, 50, 58, 66
609 400/P2		x	x	x	x		Step Disc No. 2 Size: 36, 44, 52, 60, 68
609 400/P3		x	x	x	x		Step Disc No. 3 Size: 38, 46, 54, 62, 70
609 400/P4		x	x	x	x		Step Disc No. 4 Size: 40, 48, 56, 64, 72
609 400/S10	x	x	x		x		Spindle M10 without Nut
609 400/S12	x	x	x	x	x		Spindle M12 without Nut
609 400/S14	x	x	x				Spindle M14 without Nut
609 400/S16	x	x	x	x			Spindle M16 without Nut
609 400/460-C		x					Blow case for 609 400/460

Art.no.	609 420	609 400/ 460	609 400	609 399	609 390 XS	609 390/Basic XS	609 390/ 10 XS
609 420							Pressing + Pulling Tube Kit II
609 420-1	x						Blow Case for 609 420
609 420-100/110	x						Press-Pull Sleeve I: 100 mm A: 110 mm
609 420-102/112	x						Press-Pull Sleeve I: 102 mm A: 112 mm
609 420-104/114	x						Press-Pull Sleeve I: 104 mm A: 114 mm
609 420-106/116	x						Press-Pull Sleeve I: 106 mm A: 116 mm G1
609 420-108/118	x						Press-Pull Sleeve I: 108 mm A: 118 mm G2
609 420-110/120	x						Press-Pull Sleeve I: 110 mm A: 120 mm G3
609 420-112/122	x						Press-Pull Sleeve I: 112 mm A: 122 mm G4
609 420-74/84	x						Press-Pull Sleeve I: 74 mm A: 84 mm G1
609 420-76/86	x						Press-Pull Sleeve I: 76 mm A: 86 mm G2
609 420-78/88	x						Press-Pull Sleeve I: 78 mm A: 88 mm G3
609 420-80/90	x						Press-Pull Sleeve I: 80 mm A: 90 mm G4
609 420-82/92	x						Press-Pull Sleeve I: 82 mm A: 92 mm
609 420-84/94	x						Press-Pull Sleeve I: 84 mm A: 94 mm
609 420-86/96	x						Press-Pull Sleeve I: 86 mm A: 96 mm
609 420-88/98	x						Press-Pull Sleeve I: 88 mm A: 98 mm
609 420-90/100	x						Press-Pull Sleeve I: 90 mm A: 100 mm G1
609 420-92/102	x						Press-Pull Sleeve I: 92 mm A: 102 mm G2
609 420-94/104	x						Press-Pull Sleeve I: 94 mm A: 104 mm G3
609 420-96/106	x						Press-Pull Sleeve I: 96 mm A: 106 mm G4
609 420-98/108	x						Press-Pull Sleeve I: 98 mm A: 108 mm
609 420/A	2x						Adapter for Step Discs
609 420/Basic							Pressing + Pulling Tube Kit II (Basic)
609 420/D16	2x						Nut M16 with Bearing
609 420/M10	x	x			x	x	Counter Nut M10
609 420/M12	x	x			x	x	Counter Nut M12
609 420/M14	x	x					Counter Nut M14
609 420/P1	x						Step Disc No. 1
609 420/P2	x						Step Disc No. 2
609 420/P3	x						Step Disc No. 3
609 420/P4	x						Step Disc No. 4
609 420/TR20K	x	x			x	x	Spindle TR 20, short with inside adapter thread M10, M12, M14
609 420/TR20L	x						Spindle TR 20, long with inside adapter thread M10, M12, M14
609 420/TR20M	x	x			x	x	Nut TR20 with Bearing
609 420/Upgrade							Pressing + Pulling Tube Kit II (Upgrade)
906 007					x	x	Special lubricant



609 390/Basic



609 400/460



UNIVERSAL RACE PULLER

The ONLY race puller like it on the market.

Universal bearing ring puller with a revolutionary gripping principle. A three-legged gripper with ultra sharp edges provides equal gripping power on each side, avoiding any tilt.

Additionally, the easily adjustable clamping chain offers ideal grip and power for best efficiency.

Fits all kinds of bearings and sleeves between 1.5"- 2.4".

- Ships in a sturdy plastic case
- Full firm grip based on the adjustable clamping chain
- Ultra sharp edges will clamp into the 0.02" radius of the ring

650 200
U.S. Patent pending

**Universal
Race Puller**



WATCH DEMO HERE:



HYDRAULIC TWIN / TRIPLE LEG PULLER SYSTEM

- To be used manually.
- 8ton. ram, self gripping principle
- Combination twin / triple leg puller kit complete with ram extensions, offer a wide range of pulling options.
- Makes 2 different twin / triple leg pullers.
- Supplied in a foam inlay.

650 700

**Hydraulic Twin / Triple Leg
Puller System**



Self Gripping Principle



Technical information

Puller Spread	Puller Reach Max	Ram Extension
min - max in	max in	in
2" - 4"	4"	2"



UNI PULLER SET XS

- Unique set, currently no other like it on the market
- Provides multiple ways to remove bushings, seals, sleeves, bearings, bearing races, pressed-in studs and more.
- Includes a 2.5 LB slide hammer, two sets of jaws, internal and external puller, puller hook, pressed-in stud puller adapter, injector adaptor which fits M14 x 1.5 (most common injector size), and split collet extractors.
- Split collet extractors are made for "blind" holes.
- Slide hammer can be used 2 ways, move the handle horizontally for narrow spaces.
- Kit can be used when there is not a lot of space behind bearings.
- *Basic kit comes with slide hammer, two sets of jaws, internal and external puller, puller hook, pressed-in stud puller adapter, and injector adapter for M14 x 1.5.*

650 500 Uni Puller Set XS

650 500/Basic Uni Puller Set XS Basic



650 500




650 500/Basic



CONCAVE HAMMER INSERT

Bolts and pins will be perfectly centered because of the concave shape.

- # 290 231 **Concave Hammer Insert 6"**
- # 290 232 **Concave Hammer Insert 12"**



VIBRO-IMPACT® PINS


- # 290 214 **VIBRO-IMPACT® Pin 6.5mm**
- # 290 236 **VIBRO-IMPACT® Pin driver 8mm**
drop forged, center head
- # 290 237 **VIBRO-IMPACT® Pin driver 10mm**
drop forged, center head
- # 290 238 **VIBRO-IMPACT® Pin driver 12mm**
drop forged, center head
- # 290 239 **VIBRO-IMPACT® Pin driver 12mm**
drop forged, center head



MOUNTING PUNCH

These punches are designed not to damage parts when striking. Can be also be used in non-marring and non-sparking applications. Features knurled handles for a secure grip.

- # 841 001 **Brass Mounting Punch 20x300mm**
- # 841 030 **Aluminium Mounting Punch 30x300mm**



SPECIAL COUNTER-HOLDING WRENCH KIT


This is the perfect tool for accessing hard-to-reach nuts on your vehicle's strut mounting plate.

Featuring a 13mm and 14mm wrench with both a 6 and an 8-point making it ideal for those tricky connections that require a specialized tool. Designed to counter-hold the nut in place after it has broken loose due to rust, this tool prevents the nut from spinning and allows for efficient and precise work, even in tight spaces.

This kit is particularly suitable for VW vehicles where it can be difficult to access the strut mounting plate connections.

Made from high-quality materials, this wrench kit is built to last and withstand the demands of regular use.

- # 431 030 **Special Counter-Holding Wrench Kit**



Brake & Wheel



ALIGNMENT-WRENCH FOR MERCEDES REAR AXLE ALIGNMENT



- Universal fit for most Mercedes
- Adjust the rear axle toe without removing plastic underbody cover
- Avoids damaging plastic fasteners
- Saves time and money

512 712 Alignment-Wrench for Mercedes Rear Axle Alignment

#514 333/M12 Special-Bit M12, extra short



WHEEL CAMBER ADJUSTER

For exact and sensitive adjustment of the wheel camber. Fits many cars. Perfect for VW Golf II, Golf III, Passat.

514 300/2 Wheel Camber Adjuster, 2pcs





WHEEL WEIGHT REMOVER



Ergonomic tool that has many uses. Can be used for removing sticky wheel weights or trim.

282 230 Wheel Weight Remover



WHEEL WEIGHT PLIER



- Specifically made to remove sticky wheel weights from aluminum rims.
- Thin edges grip the wheel weight without damaging the aluminum, leaving no scratches or notches in the metal.
- The pliers will never touch the wheel as the weights lean on their own tape.
- Features a spring-loaded handle.
- Rubber coated grip provides a comfortable handle.
- Wheel weights are fast and easy to remove.

282 240 Wheel Weight Plier



CONICAL ERASER FOR RIMS

Conical eraser disc to remove the adhesives of wheel weights.
For best performance use at 500 RPMs. For use with an electric drill, cordless drill etc..

282 260

Conical Eraser for Rims

U.S. Patent pending


282 260/Kit

**Conical Eraser for Rims
incl. Adapter for Drill-Chuck**

U.S. Patent pending

297 013

Adapter for Drill-Chuck



BIONIGRIP

AIR ERASER

Especially for use with discs designed for air grinders with 1 HP power. Also excellent for **removing stickers, decorative strips**, splashes of color on paint. No longer necessary to use scrapers or heat gun. Disc diameter 100 x 15 mm.

297 010

Air Eraser

Complete with 1 Conical Eraser



INNER RIM CLEANER



TOOL-INNOVATION 2017

The Mueller Kueps Inner Rim Cleaner is meant for the optimal cleaning of the inner wheel contact surface. It prevents corrosion related distortion of wheel bolt tightening torque and allows you to completely remove burnt in corrosion. Can only be used on the inside of an aluminum rim, particularly the inner area prior to wheel balancing. Due to the porous abrasives and a cup shaped grinding plate there is minimal dust and the Velcro adhesive makes it easy to change out. It has been optimized for the latest wheel rims with an enlarged diameter of 3".

433 507

Inner Rim Cleaner

U.S. Patent

433 508

Replacement Discs for Inner Rim Cleaner, 3pcs



WHEEL HUB GRINDER TYPE 1, 1/2" drive, Ø 3" internal

Special grinder for cleaning the wheel centering device and the attachment face between WHEEL and HUB. Stubborn corrosion residue is removed quickly, easily and completely. Optimized for use with an Impact gun. Actual processing time per hub 3 - 25 seconds. Works best at lower rpm's.

**# 433 500 Wheel Hub Grinder Type 1,
1/2" drive, Ø 3" internal**

433 503 Spare discs, 3pcs



**Shipment # 433 500:
1 Basic Unit + 1 Disc**



1/2"



**Max. speed 500 rpm
Grinding Ø 6 19/64"**

WHEEL HUB GRINDER TYPE 1

The Mueller-Kueps Wheel Hub Grinder Type 1 is meant for the optimal cleaning of the wheel and hub contact surfaces.

Burned in corrosion residue is completely removed with a quick and easy process. The porous abrasives and a cup shaped grinding plate reduce dust while a Velcro adhesive makes it easy to change out discs.

Actual processing time per hub is about 3-25 seconds depending on the thickness of corrosion.

This tool has an Outer Diameter of 6 1/4".

**# 433 502/M Wheel Hub Grinder Type 1
(1 holder + 1 disc) Ø 6 1/4"**

433 501 Spare Disc for Wheel Hub Grinder, 3pcs



WATCH DEMO HERE:



WHEEL HUB GRINDER TYPE 1 - 3" INTERNAL



Grinding Ø 6 1/4"



Max. speed 1500 rpm

This tool is meant for the optimal cleaning of the wheel centering device and the attachment face between wheel and hub.


Burned in corrosion residue is completely removed with a quick and easy process. The porous abrasives and a cup shaped grinding plate reduce dust while a Velcro adhesive makes it easy to change out discs.

Actual processing time per hub is about 3-25 seconds depending on the thickness of corrosion. This tool has an Outer Diameter of 6 1/4" and an Inner Diameter of 3".

Specifically meant for larger internal diameter vehicles such as BMW.

433 504 Wheel Hub Grinder Type 1, 3" internal

433 505 Spare Discs for Wheel Hub Grinder 1, 3" internal, 3 pcs
Also fits basic unit no. 433 502.



With larger internal diameter (3") for vehicles, e.g. BMW.



Shipment no. 433 504: 1 basic unit + 3 discs

WHEEL HUB GRINDER TYPE 3

The Mueller-Kueps Wheel Hub Grinder Type 3 is meant for the optimal cleaning of the wheel and hub contact surfaces.

Burned in corrosion residue is completely removed with a quick and easy process. The porous abrasives and a cup shaped grinding plate reduce dust while a Velcro adhesive makes it easy to change out discs.

Actual processing time per hub is about 3-25 seconds depending on the thickness of corrosion.

This tool has an Outer Diameter of 7.8".

433 700 Wheel Hub Grinder Type 3 (1 holder + 2 disc) Ø 7.8"

433 720 Spare Disc for Wheel Hub Grinder, 2pcs



ALUMINIUM WHEEL HUB GRINDER TYPE 2



Content: 1 basic unit + 5 discs Ø 1.5" and 6 discs Ø 2"



This hub grinder is meant for the optimal cleaning of the wheel rim contact surfaces.

Burned in corrosion residue is completely removed with a quick and easy process. The porous abrasives reduce dust while a Velcro adhesive makes it easy to change out discs.

Actual processing time is about 3-25 seconds depending on the thickness of corrosion. It comes with 1.5" and 2" Outer Diameter discs.

433 618 Aluminium-Wheel Hub Grinder Type 2 with 11 Discs

433 648 8-Point Spare Disc Small, 5pcs

433 658 8-Point Spare Disc Large, 5pcs

433 618/M 8-point-Alu-Wheel Hub Grinder Type 2 with 5 Discs



433 918 Aluminium-Wheel Hub Grinder Trucks

433 958 8-Point Spare Disc, 5pcs

433 958/PUR 8-Point Spare Disc Rough, 5pcs



WHEEL HUB GRINDER KIT 1/2", 8-POINT

Special grinder used to clean the wheel rim contact surface, designed for vehicles with stud bolts. Corrosion is quickly and easily removed. For use with Impact.

433 628 Wheel hub grinder kit 1/2"

- # 433 648 8-point spare disc small 5pcs
- # 433 658 8-point spare disc large 5pcs

MULTI-CLEANER



Universal cleaning tool.
Works great for brakes, exhaust etc...
Kit includes 1 Handle, 1 cleaning pad
40x110mm, 1 cleaning pad 50x110mm

460 300

Multi-Cleaner

460 340

Cleaning Pads 40mm, 2pcs

460 350

Cleaning Pads 50mm, 2pcs





LINE WRENCH KIT WITH JOINT

- Completely Drop-Forged
- High Quality Chrome Finish
- Both Ends with Inner Hex
- Stepped Flange Shape

- # 457 705** **Line Wrench Kit, 5pcs**
8, 9, 10, 11, 12 mm
- # 457 705/SAE** **Line Wrench Kit, 5pcs**
5/16", 11/32", 3/8", 7/16", 1/2"



- also used for Oxygen and NOX sensors

- # 457 720** **Line/Sensor Wrench Kit, 7pcs**
13, 14, 15, 16, 17, 18, 19mm



Line Wrenches
are also available separately:

13 mm	# 457 713	16 mm	# 457 716
14 mm	# 457 714	17 mm	# 457 717
15 mm	# 457 715	18 mm	# 457 718
		19 mm	# 457 719





XL FLARE NUT WRENCHES

Our three-piece extra-long wrench kit with joint is a versatile addition to any toolkit. Crafted with precision, this kit includes 10, 11, and 12mm wrenches, ensuring compatibility with various line sizes. Each wrench is drop forged and boasts a high-quality satin finish for durability and professional look. The stepped flange shape enhances grip and control, while both ends feature an inner hex design for added versatility. Ideal for brake, power steering, and air conditioning lines.

457 803

457 810

457 811

457 812


XL Flare Nut Wrenches 10, 11, 12mm

XL Flare Nut Wrench 10mm

XL Flare Nut Wrench 11mm

XL Flare Nut Wrench 12mm





458 710/V2
458 711/V2

458 810/V2
458 811/V2

BRAKE LINE WRENCHES

Special brake bleeder wrench for the actuation of bleeder screws. Without disassembly and assembly of the wheels.

458 711/V2 e.g. for VW Golf 5, Audi A3, Seat Altea, Skoda Octavia etc. # 458 811/V2 e.g. for VW Passat, Audi A4 etc.

458 710/V2 Brake Line Wrench 10mm Long
lockable joint, silicone-hose included

458 711/V2 Brake Line Wrench 11mm Long
lockable joint, silicone-hose included

458 810/V2 Brake Line Wrench 10mm Short
lockable joint, silicone-hose included

458 811/V2 Brake Line Wrench 11mm Short
lockable joint, silicone-hose included

458 711-3 Silicone-hose incl. nipple



VALVE CORE TOOL

- Insert the Tool into the valve stem.
- Tool will "click" when properly connected to core.
- Upon removal the tool will retain the core.
- Easily and quickly replace the core.
- For one handed operation.

437 001 **Valve Core Tool**
with valve core holder

437 001/4 **Valve Core Tool**
with valve core holder, 4 pcs.



BRAKE CALIPER FILE



**High quality
Ergonomic
2 component handle**



Brake Caliper File with scraper on the face end,
for removal of coarse residue.

460 200 **Brake Caliper File**

460 202 **Brake Caliper Thin File**
for Asian imports



MINI-RATCHET PIPE CUTTER



This ratchet pipe cutter is an ideal tool for professionally cutting brake lines. Compact design and ratchet function mean it can be used directly on the vehicle including hard to reach areas. Automatic readjustment function means no need to retighten the cutting wheel during the cutting process. Handle length provides additional leverage.

462 002 Mini-Ratchet Pipe Cutter
Ø 3/16"

1
Press in



2



3 **adjustable pressure**



BRAKE CALIPER BRUSH KIT



Brass bristles for Aluminium

Ultra slim design



Brass bristles

To remove burned in brake dust and dirt from brake calipers. Set includes 1 steel brush and 1 brass brush. Application for brass brush: Use on aluminium brake calipers. Application for steel brush: Use on steel brake calipers. Soft brass bristles ensure a proper cleaning. Length: 8.9".

467 000 Brake Caliper Brush Kit

467 001 Brake Caliper Brush Steel

467 002 Brake Caliper Brush Brass



Steel bristles




BRAKE LINE STRAIGHTENER



Special tool to straighten coiled brake lines. Easy to use without any additional tools. The brake line will be straightened with 16 ball beared precision rolls.

462 040 Brake Line Straightener $\frac{3}{16}$ "

462 046 Brake Line Straightener $\frac{1}{4}$ "



AIR BRAKE PISTON RESETTER

A universal use brake piston resetter which works for left and right threaded pistons. The kit includes: 2 adjustable discs, foam inlay and a 6-8 bar.

468 026 Air Brake Piston Resetter

Adjustable Brake Piston Reset Discs

Professional reset of the rear axle brake pistons. The exact distance of the rotating disc adapts automatically to the bores of the brake piston by turning the basic unit of the disc.

- Repair almost every car with these two discs!
- Time saver

468 020/47 2-Pin Adjustable Discs

468 020/48 3-Pin Adjustable Discs



468 020/47 2-Pin Adjustable Discs



468 020/48 3-Pin Adjustable Discs

XS BIT KIT

The most versatile ratchet set for confined areas available.

PROFESSIONAL DISTRIBUTOR
Most Wanted

Ultra Short & Ultra Strong XS-Bit Kit

21 bits in a short version (20 mm).

2 different ratchet wrenches.

The ratcheting mechanism allows for work on narrow space areas.

Bits:

T-bits: T15, T20, T25, T27, T30, T40, T45, T50, T55

Triple square: M4, M5, M6, M7, M8, M10

Hex: M4, M5, M6, M7, M8, M10

Adapter: 1/4" & 3/8"

514 600 XS Bit Kit



FLUID SUCTION DEVICE

For drip-free suction of brake fluid from the master cylinder reservoir. Suitable for brake fluid and battery acid.

Volume ca. 160ml

515 008 Fluid Suction Device



XL WHEEL MOUNTING SOCKET KIT

length: 6"

The individual sizes are colour-coded (blue, yellow, red)

Sizes: 17, 19, 21mm

Extra long and thin walled design



High-quality, extra long, thin-walled single-piece design.

Ergonomic design for removal and mounting of wheels in specialist workshops. For use with a torque Wrench! The individual sizes are colour-coded.

800 200 XL Wheel Mounting Socket Kit, 3pcs



WRENCH EXTENDER



745 111
length: 5,5"
max. SW24 / 24mm



745 099
length: 9"
max. SW14 / 14mm / 1/2"



745 100
length: 13"
max. SW26 / 26mm / 1"



745 101
length: 18"
max. SW32 / 32mm / 1 1/4"








745 102
length: 23"
max. SW46 / 46mm / 1 13/16"

Wrench extender to loosen tight connection in hard to reach areas.

- Fits wrenches perfectly
- To loosen tight connection of hex, TX and XZN
- Reduces risk of injuries.

- | | |
|------------------|--|
| # 745 099 | Wrench Extender Mini
length: 9"; max. SW14 / 14mm / 1/2" |
| # 745 100 | Wrench Extender Standard
length: 13"; max. SW26 / 26mm / 1" |
| # 745 101 | Wrench Extender Medium
length: 18"; max. SW32 / 32mm / 1 1/4" |
| # 745 102 | Wrench Extender Large
length: 23"; max. SW46 / 46mm / 1 13/16" |
| # 745 111 | Multi Access Wrench Extender
length: 5.5"; max. SW24 / 24mm |






UNI-HOOK-KIT

Hook-kit for universal applications such as brake caliper, cables, hoses etc.

- # 905 022 **Uni-Hook-Kit**, 2pcs.
flexible / universally adjustable;
for use up to 8 LBS (5" x 9 1/4")
- # 905 023 **Uni-Hook-Kit**
2x # 905 022 + 2x # 905 024
- # 905 024 **Uni-Hook-Kit**, 2pcs.
rigid; for use from 8 LBS and up
(5" x 9 1/4")
- # 905 026 **HD Uni-Hook-Kit**, 2pcs.
rigid; Use for up to 30 LBS (7" x 10.5")





Engine

HOSE CLAMP COMPRESSOR, FLEXIBLE

The automobile manufacturers increasingly rely on hose clamps with tight-fitting jaws, which are difficult to open with conventional tools and hard to reach in very narrow spaces.


With the MUELLER hose clamp compressor and an optional bowden cable, each hose clamp can be opened quickly. The flexible cables with different clamping jaws, can be attached to the ends of the hose clamps and opened instantly.



500 007 **Hose Clamp Compressor, flexible** with Universal Jaw (black)

500 008 Steel Cable, red

500 009 Steel Cable, green for french vehicles



CARBIDE SCRAPER KIT



MUELLER's gasket; corrosion and carbon scraper

- Double edged blade
- Extremely durable due to high quality carbide inserts
- Works as pull or push tool
- Ergonomic hand grip
- Removes paint and glue in hard to reach areas
- Removes burned in corrosion on brakes
- Carbon on exhaust manifold etc...

268 220 Carbide Scraper Kit



32mm
1 1/4"

16mm
5/8"



thickness
carbide tip: 4mm

total length: 8"

XL CARBIDE SCRAPER KIT

Mueller's gasket; corrosion and carbon scraper

- Double edged blade
- Extremely durable due to high quality carbide inserts
- Works as a push or pull tool
- Ergonomic hand grip
- Removes burned in corrosion on brakes, carbon on exhaust manifold etc.
- Total length of 11 in.

268 320 XL Carbide Scraper Kit





centering part with
cleaning grooves

27mm



506 522



506 520

SENSOR TAPS

6-cutting edges for perfect
centering and function

Super short tap with integrated guide pin. Professionally restore the NOX sensor hole thread without damaging the exhaust system. Universal use for light and heavy duty diesel engines.

506 021/Kit Sensor Tap Kit M20x1.5 + M22x1.5

- # 506 512 Sensor Tap M12x1.25 Extra Short, e.g. temperature sensors
- # 506 514 Sensor Tap M14x1.5 Extra Short, e.g. temperature sensors
- # 506 516 Sensor Tap M16x1.5 Extra Short, e.g. temperature sensors
- # 506 518 Sensor Tap M18x1.5 Extra Short, e.g. oxygen-sensors
- # 506 520 Sensor Tap M20x1.5 Extra Short, e.g. NOX-Sensors
- # 506 522 Sensor Tap M22x1.5 Extra Short, e.g. particle filters



506 512



506 514



506 516



506 518





FLEXHEAD RATCHET

The Ratcheting wrench is great for working in narrow spaces. Use in conjunction with the # 506 021 Sensor Tap Kit for best results.



514 513 Flexhead Ratchet



HOSE CLAMP PLIER KIT

Universal hose clamp plier kit. New head design for multi angle gripping. Ratchet lock holds the hose clamp open. Length 11".

500 035 Hose Clamp Plier Kit, 2pcs



HOSE REMOVAL KIT

Universal tool set for loosening "glued on" hose connections due to corrosion. Can also be used as a mini lever.

500 220 Hose Removal Kit




DEF / AD-BLUE 4-IN-1 REFRACTOMETER

The kit includes:

- Refractometer.
- Soft cloth.
- Long-neck dropper.
- Screw driver (for calibration adjustment).
- Pointer.

Refractometer for testing the quality of Ad-Blue, radiator coolant, windshield washerfluid and battery acid tester. 4 scales in one tester!

**# 727 090 DEF / AD-Blue
4-in-1 Refractometer**



DIESEL FILTER FILLER V2



For quick, clean and problem free bleeding of diesel filter (filling of the diesel filter).

Universal for all diesel vehicle filter changing, as well as removing air from the system. Different hoses guarantee universal fitting. Connect to the fuel line at the fuel filter.

You can also use this in diesel injection engines such as VW, Seat, Skoda, Audi, Mercedes CDI, Peugeot HDI, Renault, Fiat...

515 007/V2 Diesel Filter Filler



UNIVERSAL BELT WRENCH



Universal fit for oil filter and dehydrator cartridges, 1/2" drive, max diam. 7". Will not ruin the filter. This tool is advised to be used by Caterpillar.

551 005 Universal Belt Wrench





RATCHET FLARE NUT WRENCH KIT

SW 10-19mm x 3/8"

This flare nut wrench set includes a lockable extension, 90° adapter, lockable swivel adapter and 10 wrench ends. Sizing ranges from 10mm to 19mm.

This set makes it easy to use in hard-to-reach areas such as fuel, AC and brake lines, exhaust and engine sensors, brake cable adjustment, shift linkage cable adjustment, etc.

You can use it as a regular wrench with the 90° adapter and extension. Or use as a swivel wrench with the swivel adapter and extension.

571 400 Ratchet Flare Nut Wrench Kit, 13 pcs.



XL GLOW PLUG SOCKET KIT 8, 10, 12mm

Spring clip to hold the glow plug,
extra slim socket and joint.
3/8" drive, length 175mm.

600 270

**XL Glow Plug Socket Kit
8, 10, 12mm, 3 pcs.**



SPARK AND GLOW PLUG STARTER

Flexible rubber tool.



Useful tool to install the first pitch of common rail glow plugs.
Fits spark plugs as well.

651 001 Spark and Glow Plug Starter

**For hard to reach
spark- and
glowplugs.**



INJECTOR PULLER ADAPTOR

Curved hook centers the impact of the slide hammer. To be used for dismantling injectors.

600 120-1 Injector Puller Adaptor



SMALL SLIDE HAMMER

The Small Slide Hammer features a 2.5 LB weight and can be used in two ways. Use it with the handle vertically for regular pull. Move the handle horizontally to be able to operate the slide hammer in narrow areas while still providing maximum pull. This makes the tool one of the more versatile small slide hammers on the market.

600 121 Small Slide Hammer



UNI INJECTOR PULLER KIT



**Universal kit for
diesel injectors.**

Fits Bosch, Delphi, Denso, and Siemens. Will work in most cases without removing the electric plug.



600 130 Uni Injector Puller Kit

GLOW PLUG DRILL KIT



Removing broken glow plugs can become a hassle when not done with the right tools. Mueller-Kueps aims to make your life easier by providing you with a kit to remove these broken glow plugs. 5 easy steps make this a safe and effective way to achieve your task.


Included in this kit are sockets, a 3-fluted step drill, 2 sizes of thread tappers, an extractor and a straightforward picture manual.

This set works best when used in conjunction with the Small Slide Hammer # 600 121.

- # 600 240 **Glow Plug Drill Kit M10x1**
- # 600 242 **Glow Plug Drill Kit M12x1.25**
- # 600 245 **Glow Plug Drill Kit M10x1.25**
- # 600 248 **Glow Plug Drill Kit M8x1**



GLOW PLUG EXTRACTOR KIT



2.60, 3.20, 3.50, 4.50, 6.50, 8.25mm

Extractor kit for the core element of the glow plug, 6 pcs. For all glow plugs, M8, M9, M10 and M12. Special left handed drill sockets. Shipment includes socket-rail.

600 206 Glow Plug Extractor Kit



GLOW PLUG BRUSH KIT

Clean glow plug hole to prepare for installation of new glow plug. Includes 5 steel wire brushes for M8 and M10. 3 brushes to clean the glow plug element hole and 2 brushes to clean the shaft.

600 260 Glow Plug Brush Kit, 5pcs



COMPLETE KIT FOR GLOW PLUGS ELECTRODE EXTRACTION

Set of tools for the extraction of the glow plug tip in the event of breakage or seizure inside the seat, which is otherwise impossible to remove.

Suitable for glow plugs with thread:

M10x1
M10x1.25
M9x1
M8x1

The set includes all the tools needed to safely remove the terminal part of the glow plug electrode without damaging the cylinder head. Our procedure saves you a considerable amount of time versus the alternative of having to disassemble the head.


600 300 Complete Kit for Glow Plugs Electrode Extraction





Cutting Tools

SPOT WELDING DRILL BITS



6 x 70 ; 8 x 80 ; 10 x 90 mm



HSSE
244 060
244 008
244 010

HSSE-TICN
244 806
244 808
244 210

All Drill Bits are:



High Quality Standard HSSE (High Speed Steel Cobalt Alloyed)

Best standard Spotweld drill bits available

Double Coated > HSSE-TICN (HSSE-Titanium Carbon Nitride)

PVD Titanium coating with a Carbon Nitride finish. Highest cutting speed. Used for interrupted cuts and has a long lifetime for best profitability.

CARBIDE SPOT WELD DRILL BIT


Made especially for removing spot welds on extremely hard steel materials, such as BTR, BOR.

Use with cordless or air drill. Will not turn inside drill chuck, due to the 3 flat gripping areas.



222 051

**Carbide Spot Weld Drill Bit
3-Edged 8.0x50mm**



222 308

**Carbide Spot Weld Drill Bit
8.0x44mm.
Fits the 401 001.**

SPOT WELD DRILL



The Tool to use for drilling High Strength Steel!

Operates at 1200rpm or less. Drill bits will last longer.

Use for removing spot welds on all flanges. Comes with removable "G-clamp".

Adjustable depth to ensure there is no drilling in second panel.

To extend the life of the drill bit, use the center punch and the special cutting oil.

**# 401 001
Spot Weld Drill**

5-PACK SPOT WELD DRILL BITS



HSSE-Titanium Carbon Nitride!

**# 244 805
5-Pack Spot Welding
Drill Bits: 2x 6mm, 3x 8mm**

SPOTWELDING DRILL BITS WITH MB COATING

These drill-bits feature a special coating which increases their durability so they last longer than a HSSE bit. Used for interrupted cuts and has a long lifetime for best profitability.

- # 244 806MB **Spotwelding Drill Bit 6mm with MB Coating**
- # 244 808MB **Spotwelding Drill Bit 8mm with MB Coating**
- # 244 210MB **Spotwelding Drill Bit 10mm with MB Coating**

All Drill Bits are:



CARBIDE TIP DRILL BIT KIT

For drilling of extremely hard materials such as seized studs and bolts up to a hardness of 12.9. Other sizes available on special request.

- # 562 600 **Carbide Tip Drill Bit Kit, 4pcs**



- # 562 607 7.0mm
- # 562 606 6.0mm
- # 562 604 4.0mm
- # 562 603 3.0mm



Collision Tools

BODY WORK FILE HOLDER



**Strong and light holder
to use with 14" file blade.**

262 001 Body Work File Holder



263 001
File Blades Radial Cut, Medium Fine

263 002
File Blades Radial Cut, Coarse



263 003
File Blades Diagonal Cut, Medium Fine

263 004
File Blades Diagonal Cut, Coarse

WINDOW MOULDING REMOVER

Heavy duty



Shock resistant plastic



- Spreads force over total width, so there is no damage to mouldings and trims.
- Easy to use due to the bevelled edge.

The perfect tool for all work on window mouldings and trim.

267 400 Window Moulding Remover

FLEXY DOLLY SET

Specifically made for repair work on car bodies made of steel, including high-tensile, super high-strength, extra thin sheets as well as aluminum bodies. Straightens the sheet without stretching or shrinking.

272 217 Flexy Dolly Set in Case, 7pcs



272 222/1



272 222/2



272 222/3



272 222/4



272 222/5



272 222/6



272 222/7

Total length: 7"
Rounded end Ø: 2 3/4"
Straight halfrounded end: 2.4" x 3/4"



Total length: 27 1/2"
Spoon width: 2.4"



Total length: 11"
Straightener width: 4"



BUMPING KIT

Bumping kit 3 pcs.


Includes bumping spoon, round anvil, edge straightener.

272 333 Bumping Kit, 3pcs





UNIVERSAL PANEL BEATING KIT



Brand new universal panel beating kit multiple beat inserts of different designs. 2 different working depths. All parts are interchangeable. Absolutely universal use as a normal beating tool (knurled handle), or with the DUO-Sliding hammer.

272 412 Universal Panel Beating Kit



272 413

272 414

272 415

272 416

272 417

272 418

272 419

272 420

272 421

WELD BREAKER

This spot weld breaker is meant to replace or reskin body panels and frame sectioning. It is inserted between seams or panels after spot welds are drilled out to completely remove panel sections. A treated steel shank with an extremely thin, half-rounded cutting edge finishes the separation process. This tool stores inside the handle for safety, with a simple cross guard to protect your hand. The smooth blade ensures that you have full control.

243 002/HS Weld Breaker with Protection Rubber Handle

243 002 Weld Breaker, Length Use 12"

243 001 Metal Shield Chisel

243 002/H Rubber Handle



- DIN 7255
- Can be sharpened by hand
- Extremely thin: 0.1"
- Length: 11.8"



243 002/HS




243 001

CHISEL SCRAPER KIT



2-component handles with hammer head



9" x 1 1/4" x 0.1"
7 1/2" x 3/4" x 0.1"
9" x 1 1/4" x 0.05"
7 1/2" x 3/4" x 0.05"

Stainless steel blade through handle, easy to re-sharpen, 2-component handles, hammer head, 4pc kit with 2 lengths + 2 thickness. Universal daily use.


268 400 Chisel Scraper Kit, 4pcs




CHISEL SCRAPER, 30° BEND

The stainless steel blade goes through the handle. Tool is easy to resharpen and has a 2 component handle with hammer head. Features a 30° bend. Universal daily use.
9" x 1 1/4" x 0.1"

268 405 Chisel Scraper, 30° Bend



QUICK-LOCK RAZOR SCRAPER



New design of razor scraper which has a quick-lock safety release mechanism. Non slip, 2 component handle. Comes with 5 steel and 5 plastic blades.

Length: 8 1/4". Blade: 1 1/2".

268 420 Quick-Lock Razor Scraper

268 421 Replacement Blade Plastic, 10pcs.

268 422 Replacement Blade Stainless Steel, 10pcs.



268 430 Quick-Lock Razor Scraper 12"
comes with 1 steel blade

268 440 Quick-Lock Razor Scraper 16"
comes with 1 steel blade



PRO-XNIFE KIT

Professional high quality knives with sturdy blades for universal use. These knives should be used with a pulling motion. Use on coolant hoses, wire harnesses, carpet, hard to reach zip ties, cuts plastic, door panels etc. Stays sharp longer than your average utility knife. 2-component handle, foam inlay

268 500 Pro-Xknife Kit, 3pcs



268 503

268 502

268 501





REMOVAL WEDGE 19.5"



For damage free removal of door covers and trims. Will not scratch plastic or damage paint.

277 003 Removal Wedge 19.5"



POCKET LEVER

The "Pocket Lever" is a great tool for trim removal and panel manipulation with precision and care.

Featuring a rubber handle, the Pocket Lever ensures a comfortable and secure grip, allowing for extended periods of use without discomfort. Its sturdy design guarantees that it won't slip off during operation, providing peace of mind and enhancing efficiency.

Ideal for panel removal and intricate tasks, the Pocket Lever functions as a mini pry bar, offering remarkable leverage and control.

277 030 Pocket Lever

277 030/2 Pocket Lever, 2 pcs.





COMBI WEDGE / UNIVERSAL HOOK

COMBI WEDGE

Combined universal tool. Perfect for a variety of panel clips and molding removal.

UNIVERSAL HOOK

An ideal tool for working on door molding and a variety of other seals.

277 047 Combi Wedge and Universal Hook

- # 277 004 Combi Wedge
- # 277 004-10 Combi Wedge, 10Pack
- # 277 046 Universal Hook

277 004

Length: **7 $\frac{3}{4}$ "**
Width: **1"**



277 046

Length: **7.5"**

PLASTIC CLIP PLIERS / FUSE PULLER



High quality, polished stainless steel pliers for removing plastic clips and fuses. Innovative design provides a comfortable fit in the hand. Universal use. Length 7".

277 007 Plastic Clip Pliers / Fuse Puller

277 007-10 Plastic Clip Pliers / Fuse Puller, 10Pack



CLIP LIFTER



For plastic fasteners, plastic clips, upholstery or door panels.

Length: 6.8", width: ½".

277 008 Clip Lifter

277 008-10 Clip Lifter, 10Pack



5-PIECE CLIP LIFTER SET



For plastic fasteners, plastic clips, upholstery or door panels.

277 015 Clip Lifter Set, 5pcs





XL-CLIP LIFTER KIT



3 piece XL Clip Lifter set for all kinds of plastic fasteners, plastic clips, upholstery or door panels. Different sizes, lengths and shapes to meet all your lifting needs. Thin wedged tip for easy access.

277 023 XL-Clip Lifter Kit, 3pcs





UNIVERSAL MICRO PULLER KIT

Universal fit for small applications, jaws range from 22 - 44mm wide. Ideal also for wiper blades. Brass spindle end cap will prevent damage. Strong enough to get even the toughest wiper arms loose! Ø 22-44 mm, depth 30 - 43 mm. Kit comes with two sets of adjustable legs.


650 350 **Universal Micro Puller Kit**



WIPER ARM PULLER KIT

Universal wiper arm puller. Can be used on most vehicle wipers. Includes a long spindle and slotted slide weight, which will increase the impact on the pull. This approach is ideal for cone seat connections. Comes with carbon foam.

650 370 **Wiper Arm Puller Kit**



PICK & FINISHING HAMMER

For precision, and ease of use.

- # 282 005 120mm, Ø 30mm
- # 282 006 140mm, Ø 40mm
- # 282 160 160mm, Ø 40mm



WHEEL CAMBER & DOOR HINGE KIT

Special kit for hard to reach screw connections on door hinges or wheel cambers. VW, Audi, Seat, Skoda, Mercedes, Renault. Kit comes in wooden box. Special Bits with the shortest possible length. Includes Torx TX30, 40, 45, 50 and spline M8, 10, 12. Extra short ratchet, 5/16".

514 333 Wheel Camber & Door Hinge Kit



M8

514 333/M8



M10

514 333/M10



M12

514 333/M12



T30

514 333/T30



T40

514 333/T40



T45

514 333/T45



T50

514 333/T50

Universal Tools

45° pry tip

44 1/2", hex,
coated and
hardened

276 342/V2

Length: 45 1/4"

276 303/V2

276 302/V2

276 301/V2

Ergonomic
soft touch
"DUO-HANDLE"

Soft touch
handles



Big striking cap

Special steel, hardened
and tempered
Ergonomic and hammer
resistant handle



MUELLER PRY BARS

Ergonomic, hammer resistant handle for 2-handed use. Special steel 16x16mm going through the handle, large striking cap for tough daily jobs. Soft touch handles. Made for heavy duty jobs such as trucks and offshore work.

- # 276 301/V2 Heavy Duty Pry Bar 24" x 90°
- # 276 302/V2 Heavy Duty Pry Bar 35 3/4" x 45°
- # 276 303/V2 Heavy Duty Pry Bar 24" x 60°
- # 276 342/V2 Heavy Duty Pry Bar "DUO HANDLE"



MINI PRY BAR KIT

2 piece prybar kit has an industrial finish to help protect against corrosion. Great universal use. Ergonomic 2 component handle for a comfortable and secure grip. Hardened and tempered steel provides maximum durability. Great for any lifting and prying applications. Angled design for maximum leverage.

276 100 Mini Pry Bar Kit



ADJUSTING TOOL FOR SPRAYING NOZZLE

For adjusting the spraying nozzle. The extended telescope shows the direction. Can be used as a magnetic pick up tool.

350 004 Adjusting Tool for Spraying Nozzle




Telescopic magnetic pick up, 25"



1/2" x 23 5/8" RATCHET BREAKER BAR

Busts loose stubborn bolts. 210 degree swivel head. Can also be used straight as a ratchet for narrow spaces.

512 610 1/2" x 23 5/8" Ratchet Breaker Bar



CROW FOOT WRENCH KIT

Ask for different sizes.



Special kit for universal use on cars, trucks, plant machines, agricultural vehicles. 12-point profile for hard to reach areas. 9 pcs. kit, 19, 21, 22, 24, 27, 30, 32, 36 and 41mm e.g. hydraulic, brake injection lines etc.

571 250 Crow Foot Wrench Kit, 19-41mm



MULTI FUNCTION MICRO TOOL KIT

Picks and spoons that are ideal for O-rings, spring rings, seals, connectors etc.

604 230 Multi Function Micro Tool Kit, 3pcs



COMBINATION WRENCH KIT



Extra short and handy 10 pcs. combination wrench kit 10 - 19 mm. Use for hard to reach areas such as engine, doors, electric, dashboard, radio etc.

- no sharp edges
- ergonomic design
- new open end design
- new sizes 16 + 18mm

711 100 Combination Wrench Kit



FLEXIBLE MAGNETIC PICK UP TOOLS



This small flexible magnet can be used to pick up metal objects up to ½ LB.


Overall length is 15¾".

- # 702 270 Flexible Magnetic Pick Up Tool, Green
- # 702 271 orange Flexible Magnetic Pick Up Tool, Orange
- # 702 273 red Flexible Magnetic Pick Up Tool, Red



Overall length is 24".

- # 702 503 Flexible Magnetic Pick Up Tool, 3pcs: 270g, 500g, 1.800g



Overall length is 24".

- # 702 030 Flexible Magnetic Pick Up Tool, 3.000g
- # 702 018 Flexible Magnetic Pick Up Tool, 1.800g
- # 702 500 Flexible Magnetic Pick Up Tool, 500g

MAGNETIC PARTS BOWL



905 007/Orange



905 007/Neon



905 007/Darkblue



905 007/Gray

905 007/Orange
Magnetic Parts Bowl,
2pcs, Orange

905 007/Neon
Magnetic Parts Bowl,
2pcs, Neon

905 007/Darkblue
Magnetic Parts Bowl,
2pcs, Darkblue

905 007/Gray
Magnetic Parts Bowl,
2pcs, Gray





MAGNETIC HOLDER

Universal magnet-holders guarantee an organized work surrounding. High end neodym magnets. The rubber coated surface avoids scratches and is oil resistant.



905 165/Neon Magnetic Holder Kit, 2pcs, Neon

Ø 75mm, Length 91mm

905 165/Orange

Magnetic Holder Kit, 2pcs, Orange

905 165/Blue

Magnetic Holder Kit, 2pcs, Blue



905 143/Neon Mini Magnetic Holder Kit, 4pcs, Neon

Ø 49mm, Length 51mm

905 143/Orange

Mini Magnetic Holder Kit, 4pcs, Orange

905 143/Blue

Mini Magnetic Holder Kit, 4pcs, Blue



905 165/Orange



905 165/Blue



905 165/Neon



905 165/Neon



905 143/Neon
905 143/Orange
905 143/Blue



905 143/Neon



SCREWDRIVER KIT

High end kit, hexagonal shank to allow a spanner or wrench to be used to apply increased torque. Ergonomic 2 component handle for ideal torque transfer. Includes carbon foam.

706 100 Screwdriver Kit, 5pcs



ECO-LINE SCREWDRIVER KIT

High quality German made screwdriver set. This 6-pc kit features 3 Phillip tips and 3 flat blade screwdrivers. Neon green triangular handles for easy visibility and optimal grip. Most notably this kit features a Phillips 0 and Flat blade 3mm for small screws in tight spaces. Sizes included are Philip 0, 1 and 2 as well as Flat blade 3mm, 5.5mm, 6.5mm.

909 600 ECO-LINE Screwdriver Kit, 6pcs
Philip 0, 1, 2 + Flat blade 3mm, 5.5mm, 6.5mm

15
YEAR
ANNIVERSARY
IN USA
Special
EDITION



RATCHETING SCREWDRIVER KIT

This 7-Piece Ratcheting Screwdriver Set is perfect for precision and versatility in auto repairs and maintenance.

The set features:

- Magnetic, interchangeable bit holders.
- Bit storage in the cap with one magnetic holder.
- A two component handle covered in rubber for maximum comfort.

- Knurled shanks for extra grip.
- Can be used for bits or sockets.

706 070 Ratcheting Screwdriver Kit




XL-TORX SCREWDRIVER

XL-Torx screwdriver for hard to reach areas, i.e engine, car-body, door panels, dashboard. Shank length 300mm, ergonomic 2 component handle for ideal torque transfer. TX10, 15, 20, 25, 27, 30

706 300

XL-Torx Screwdriver, 6pcs, 300mm



HEX TIP SCREWDRIVER



Hex Tip screwdriver for hard to reach areas, i.e engine, car-body, door panels, dashboard. Shank length 300mm, ergonomic 2 component handle for ideal torque transfer. 3, 4, 5, 6mm.

706 400

XL Hex Screwdriver Kit,
4pcs: 3, 4, 5, 6mm

UNI-ADAPTER KIT

4 different sizes in 2 adaptors!

Changeable adaptors.

From - 1/4" to 3/8" and 3/8" to 1/2"

- 3/8" to 1/2" and 1/2" to 3/4"

Saves time and space.

800 610 Uni-Adapter Kit, 2pcs



POLYGON IMPACT JOINT KIT

A no pin, impact adaptor set which includes 1/4", 3/8" and 1/2" adaptors. This set has a ball with flats, instead of a pin in order to maximize torque transfer. It also reduces the chances of breaking. The pieces work as both a joint and straight connector.



810 203 Polygon Impact Joint Kit

DUO DRIVE XZN 12-POINT SOCKET KIT

DUO DRIVE



Sizes:
M12, M14, M16, M18
Length: 3"

Drive: 1/2" + 24 mm

Length: 1.5"

Sockets are available separately.
Ask for details.



The **DUO DRIVE** sockets are triple square drive tools that are drop-forged, durable and can be used with 1/2" or 3/4" Impact tools.

DUO DRIVE sockets are especially effective on thread lock treated suspension spindle bolts.

810 808 Duo Drive XZN Socket Kit Impact, 8pcs



904 980/10



904 980

LED PENLIGHT


This high quality pen light is great for shedding some light on a situation. Whether under the hood or under the car you can see clearly with the 260 Lm light. Features a 3x zoom lens for wide or narrow beams. Rechargeable via USB.

FL1 Standard	1x Zoom	3x Zoom
	260 LUMENS	160 LUMENS
	40min.	40min.
	40m	47m
	400cd	550cd
	2m	1m = IP67

904 980 LED Penlight

904 980/10 LED Penlight, 10Pack

3x Zoom Control
Slide collar to reveal USB jack & red/green charge indicator



Wide Beam 1x Zoom
Narrow Beam 3x Zoom



904 985


904 985/10



LED WORK LIGHT

FL1 Standard	Work-light	Flash-light
	250 LUMENS	500 LUMENS
	4.0h	2.0h
	18m	28m
	80cd	200cd
	IP54	
	IK07 - 2m	

- Max 500lm high output with 40%-100% dimming modes.
- Strong magnet base and 360° hook.
- Battery level display.
- IP54 water resistance and IK07 level impact resistance.
- High efficiency.
- Size: L131xW53.5xH21mm.



904 985 LED Work Light

904 985/10 LED Work Light, 10Pack

LED-DUO LAMP / WIRELESS CHARGER


600 LUMEN
Li 2.6 Ah

Universal LED-lamp with hook, magnet and wireless charger.
Run time: 2.5 - 5h

904 996

LED-DUO Lamp / Wireless Charger

MUELLER-KUEPS technical information		
	Work light	Flashlight
	100%	40%
Light output	500lm	135lm
Run time	2.5h	5h
Beam distance	89'	125'
Peak Beam Intensity	187cd	375cd
Impact resistance	2 Meter	
Battery	18.650 (3.7V / 2.600 mAh)	





KNEELING PAD


Professional workshop equipment. No need to use old cartons etc. Water, oil and gasoline resistant. Protect yourself while working. 3-layer soft material. Can be used for seat protection as well.

- works on any surface
- chemical resistant
- extremely durable
- stores easily

905 000/3 **Kneeling Pad, 3pcs**
18.9" x 1.4" x 12.6"

905 001 **Mechanic Mat, 1pc**
45.2" x 1.4" x 21.7"

**Resistant to UV, oil, gas,
water and numerous other chemicals.**





HD MULTI-PURPOSE SCISSOR

Enhanced steel strength for a longer lifespan. The high hardness precision-engineered blades have an anti-slip serration edge, for making accurate and precise cuts. Impact-resistant plastic on the robust but light-weight handles ensure a comfortable cutting experience.

Between the handles you will find a multi-functional wire stripper with a range that accommodates wire sizes from 0.3 to 6mm² (AWG 22-10).

905 060 HD Multi-Purpose Scissor

MULTI-PURPOSE CABLE CUTTER



Mueller universal cable cutter. Use to cut cables up to 1/0 AWG as well as 2 or 3 cord wire, PVC, etc. The claw shaped blade prevents the cable from slipping and ensures a precise cut.

905 095 Multi-Purpose Cable cutter

HEAVY DUTY SCISSORS



905 115



905 070



905 080



905 090

Mueller heavy duty scissors are ideal for leather, cloth, plastic, rubber, cardboard, gasket material, rope, wire and other materials. Every type has blades with micro teeth.

905 115

Industrial Scissors, 15 pcs.

905 070

MUELLER Heavy Duty Scissor with Cable Cutter

905 080

MUELLER Heavy Duty Scissor


905 090

MUELLER Angled Heavy Duty Scissor

905 100

Industrial Scissors, 3 pcs.

905 070, # 905 080, # 905 100





120 TOOTH 3/4" DUSTPROOF SMART RATCHET


The 3/4" ratchet set features 3 specially designed locking extension bars (100, 200 & 400mm) giving you a total extension of 1050mm for maximum reach.

Secure quick release enhances safety and efficiency, allowing for quick socket removal.

120-tooth mechanism has minimal sweep and light reverse stroke for high torque capacity and ability to use in confined space.

Rugged construction protects against dust and particle contamination for superior long-term endurance.

751 000 3/4" Ratchet With Locking Extension Bar Set



SOCKET KIT

Drop forged. Comes with foam inlay.
24, 27, 30, 32, 33, 36, 41mm + extension 175mm.

801 800 3/4" Impact Socket Kit

Impact Sockets separately available:

SW24, long
801 024

SW32, long
801 032

SW41, long
801 041

SW27, long
801 027

SW33, long
801 033

Impact Extension
175mm

SW30, long
801 030

SW36, long
801 036

807 005



DRIVE SHAFT SOCKET KIT 3/4"



Impact version for 12-point nuts i. e. on the drive shafts.
Extra heavy version, 3/4" drive. Includes with foam inlay.

801 806 Drive Shaft Socket Kit 3/4"



XL-IMPACT SOCKETS



Overall length: 400mm

Fully massive drop forged. Special made for the truck twin tires. 400mm x 3/4" drive.

805 024

XL-Impact Socket SW24

805 030

XL-Impact Socket SW30

805 027

XL-Impact Socket SW27

805 032

XL-Impact Socket SW32

CONCAVE HAMMER INSERT

Bolts and pins will be perfectly centered because of the concave shape.

- # 290 231 **Concave Hammer Insert 6"**
290 232 **Concave Hammer Insert 12"**



VIBRO-IMPACT® PINS



- # 290 214 **VIBRO-IMPACT® Pin 6.5mm**
290 236 **VIBRO-IMPACT® Pin Driver 8mm**
drop forged, center head
290 237 **VIBRO-IMPACT® Pin Driver 10mm**
drop forged, center head
290 238 **VIBRO-IMPACT® Pin Driver 12mm**
drop forged, center head
290 239 **VIBRO-IMPACT® Pin Driver 12mm**
drop forged, center head



841 030 Ø 30x300mm



841 001 Ø 20x300mm

MOUNTING PUNCH

These punches are designed not to damage parts when striking. Can be also be used in non-marring and non-sparking applications. Features knurled handles for a secure grip.

- # 841 001
841 030

Brass Mounting Punch 20x300mm
Aluminium Mounting Punch 30x300mm

HIGH PERFORMANCE AIR HAMMER "VIBRO-IMPACT" SYSTEM

Power Tools

Quick-chuck

Variable
speed trigger

Spring vibration
dampening

Ergonomic
design



EQ-290 206



WATCH DEMO HERE:



290 210



290 220



290 230



290 241



"VIBRO-IMPACT" System-tool to loosen tight connections. The high performance air hammer helps to disassemble e. g. conical seat connections, wheel bearings, bushings, rusted screw connections.

EQ-290 206 **High Performance Air Hammer
"VIBRO-IMPACT" System**

VIBRO-IMPACT® NEEDLE SCALER

Additional unit to MUELLER Air Hammer for rust and paint removal.

290 245 **VIBRO-IMPACT® Needle Scaler**





HEAVY DUTY VIBRO-IMPACT® AIR HAMMER



Heavy duty VIBRO-IMPACT® air hammer to loosen tight connections on trucks, agricultural and construction vehicles, etc. The high performance air hammer helps to disassemble e. g. conical seat connections, wheel bearings, bushings, rusted screw connections. Can support pullers as well.

- # EQ-290 300 Heavy Duty VIBRO-IMPACT® Air Hammer
- # EQ-290 300/KIT Heavy Duty VIBRO-IMPACT® Air Hammer,
Heavy Duty VIBRO-IMPACT® Flat chisel and
Heavy Duty VIBRO-IMPACT® Pin Driver 20mm

Technical information		
Drive	mm	.580 (15mm) Hex
Weight	lbs	12
Length	mm	15"
Air nipple	Zoll	3/8"
Air hose		1/2"
Air consumption	l/min	210
Impacts / min	BPM	2.500
Air pressure	bar	6,2



HEAVY DUTY VIBRO-IMPACT® AIR HAMMER ADAPTORS



- # EQ-290 310 Heavy Duty **VIBRO-IMPACT®**
Tie Rod
- # EQ-290 318 Heavy Duty **VIBRO-IMPACT®**
Flat Chisel
- # EQ-290 319 Heavy Duty **VIBRO-IMPACT®**
Flat Chisel, 60x400mm
- # EQ-290 320 Heavy Duty **VIBRO-IMPACT®**
Hammer
- # EQ-290 321 Heavy Duty **VIBRO-IMPACT®**
Pointed Insert, 400mm
- # EQ-290 331 Heavy Duty **VIBRO-IMPACT®**
Concave
- # EQ-290 337 Heavy Duty **VIBRO-IMPACT®**
Pin Driver, 20x500mm
- # EQ-290 338 Heavy Duty **VIBRO-IMPACT®**
Pin Driver 20mm

MICRO DIE GRINDER

BIONIGRIP



The latest generation mini composite tool for small and precise grinding and milling. Provides maximum concentricity through its precision collet, minimal vibration, less "kick back", low noise level and perfect handling due to the new BIONIGRIP surface. Air exhaust through hose to the rear.

297 001 Micro Die Grinder "BIONIGRIP"

297 001/Kit Carbide Milling and Grinding Burrs Set, 5pcs

- # 297 001/ZYB3 Cylindrical with End Cut Burrs 3.0mm, Pack 3pcs
- # 297 001/KUD3 Ball Head Burrs 4.0 mm Shank 3.0mm, Pack 3pcs
- # 297 001/WRC3 Rounded Tip (Bull Nosed) Burrs 3.0mm, Pack 3pcs
- # 297 001/RBF3 Small Rounded (Round Tree) Tip Burrs 3.0mm, Pack 3pcs
- # 297 001/SPG3 Pointed Tip (Pointed Tree) Burrs 3.0mm, Pack 3pcs



Technical information		
Free speed	RPM	70.000
Collet	mm	3.0
Air Inlet	NPT	1/4
Hose (I.D.)	mm	5
Air pressure	bar	6.2
Air consumption	l/min	28.3
Length	mm	137
Shipping wt.	Kgs	0.25
Vibration	m/s ²	2,1
Sound power level	dBA	84
Sound Pressure Level	dBA	74

MINI ANGLE DISC CUTTER



Mini angle disc cutter for use in hard to reach areas.
For cutting and grinding wheels with a diameter of 2". Center bore 0.4". Spark protector is adjustable.

297 003 Mini Angle Disc Cutter

- # 110 458/25 Replacement Cutting Discs Ø 2" x 0.03", 25pcs



1/2" XS IMPACT WRENCH ULTRA SHORT



WE SET THE STANDARD
FOR **TORQUE!**

Ultra short, Extra strong!

Very strong Impact Wrench with new design. Ergonomic handle. Variable speed trigger. One-handed switch. 3-speed control. Forward & reverse control can be switched to left or right handed. Aluminum/magnesium housing. Extremely powerful.

EQ-294 112 1/2" XS Impact Wrench, Ultra Short

1/2" XS-STUBBY IMPACT SOCKET KIT

DUO  DRIVE



Ideal to use for hard to reach areas based on the unique short construction.

Drive 1/2". 15 pcs. Delivery on rail.

810 700 1/2" XS-Stubby Impact Socket Kit
10-24mm On Rail

**extra short
1.1"**

All parts separately available
(see your dealer).






Equipment



6PACK



TOOLTRAYS

Use these practical trays to transport tools, cans and more. Rugged construction, solvent resistant plastic.

Made in Germany. These are stackable and feature a meter/inch scale at the top. Comes in 3 different colors.

290 x 390 x 220mm

902 350

Tooltrays 6Pack

2x neon, 2x orange, 2x blue





CREEPER

Size Creeper	16.5" x 40" (420mm x 1020mm)
Size Bed	12" x 39" (300mm x 1000mm)
Height	2¾" (70mm)
Ø Wheels	2" (50mm)
Weight Capacity	350lbs

Professional creeper for daily use in and around the shop as well as mobile service trucks. Slightly raised and upholstered headrest. Oil and acid resistant, non marking, rigid polyurethane wheels. All parts available separately. Packed in single carton.


510 098 Creeper

ORGANIZER GRIPTY

- Non-slip tool organizer for the professional storage of tools and parts
- Protects your customers car from damage.
- Parts or tools can not get lost in customers car.
- High end, super flexible silicone.
- Heat resistant to 260 degree.
- Prevents scratches on delicate surfaces.
- Improves efficiency at professional garages and saves time and money.

905 041

Organizer GRIPTY Small
300x200x28mm



UNI- WORKTABLE



- Easy storage for tools and parts while performing under hood maintenance
- Built in parts dividers and built in screwdriver / wrench / pry bar holders
- Protective bumpers for top tray
- 3" heavy duty swivel casters, 2 Locking and 2 Swivel.
- Height adjustable support post adjusts from 35.4" to 48.4" for clearance of front ends on most vehicles
- Maximum load capacity: approx. 88 LBs

EQ-350 **Uni-Worktable**



TOP
max. 300 LBs

18.9"

max. 100 LBs

max. 100 LBs

35.4"

GARAGE SERVICE CART

Garage Service Cart with high load capacity. Comes with ball bearing swivel casters and locking feature.

EQ-370 Garage Service Cart



Ideal storage



Middle and bottom shelf to store parts

PRESS AND PULL SLEEVE KIT IN GARAGE SERVICE CART

Universal tool set for extracting and mounting: silent bearings, hydraulic bearings, bearing bushes, ball bearings, shaft seals, rubber bearings etc. Fully universal application. Ideal for different vehicles.

Garage service cart with high load capacity. Top shelf max. 300 Lbs. Middle and bottom shelf max. 100 Lbs. Swivel casters with ball bearings.

Inlay for press and pull sleeve kit for the ideal storage. All sleeves are clearly arranged and easy to find. Inlay fits on all three shelves of garage service cart.

EQ-371

Press and Pull Sleeve Kit in Garage Service Cart



Merchandise



MUELLER-KUEPS Baseball-Cap
M906 017



MUELLER-KUEPS Beanie
M906 021



**Men's Okapi
Knit Jacket**

# 1817-995-3-M	Size: M
# 18117-995-4-L/G	Size: L
# 18117-995-5-XL/TG	Size: XL
# 18117-995-6-2XL	Size: XXL



T-Shirt

# 905 010/S	Size: S
# 905 010/M	Size: M
# 905 010/L	Size: L
# 905 010/XL	Size: XL
# 905 010/XXL	Size: XXL



MUELLER Hoodie

M-HOODIE-M
M-HOODIE-L
M-HOODIE-XL
M-HOODIE-2XL
M-HOODIE-3XL



MUELLER Zipper Hoodie

M-ZOODIE-M
M-ZOODIE-L
M-ZOODIE-XL
M-ZOODIE-2XL
M-ZOODIE-3XL





MUELLER-KUEPS
Pro-Corkscrew
M906 026



MUELLER-KUEPS
Beer Mug
made in Germany
M906 016



MUELLER
Truck Sticker Size: 12" x 3.47"
905 016



MUELLER-KUEPS
Bottle Opener
M906 018



USA Sticker
Size: 6" x 2"
905 014/USA



USA Magnet Sign
Size: 4.76" x 1.63"
905 015/USA



Canada Sticker Size: 6" x 2"
905 014/CAN



MUELLER-KUEPS Bag
EQ-114/K
Size: 12" x 8.5" x 2.5"



INDEX

110 458/25	Replacement Cutting Discs Ø 2" x 0.03", 25pcs	84
18117-995-4-L/G	Men's Okapi Knit Jacket, Size: L	92
18117-995-5-XL/TG	Men's Okapi Knit Jacket, Size: XL	92
18117-995-6-2XL	Men's Okapi Knit Jacket, Size: XXL	92
1817-995-3-M	Men's Okapi Knit Jacket, Size: M	92
222 051	Carbide Spot Weld Drill Bit 3-Edged 8.0x50mm	50
222 308	"Carbide Spot Weld Drill Bit 8.0x44mm. Fits the 401 001."	50
243 001	Metal Shield Chisel	55
243 002	Weld Breaker, Length Use 12"	55
243 002/H	Rubber Handle	55
243 002/HS	Weld Breaker with Protection Rubber Handle	55
244 008	Spot Welding Drill Bit HSSE 8 x 80mm	50
244 010	Spot Welding Drill Bit HSSE 10 x 90 mm	50
244 060	Spot Welding Drill Bit HSSE 6 x 70mm	50
244 210	Spot Welding Drill Bit HSSE-TICN 10 x 90 mm	50
244 210MB	Spotwelding Drill Bit 10mm with MB Coating	51
244 805	5-Pack Spot Welding Drill Bits: 2x 6mm, 3x 8mm	50
244 806	Spot Welding Drill Bit HSSE-TICN 6 x 70mm	50
244 806MB	Spotwelding Drill Bit 6mm with MB Coating	51
244 808	Spot Welding Drill Bit HSSE-TICN 8 x 80mm	50
244 808MB	Spotwelding Drill Bit 8mm with MB Coating	51
262 001	Body Work File Holder	52
263 001	File Blades Radial Cut, Medium Fine	52
263 002	File Blades Radial Cut, Coarse	52
263 003	File Blades Diagonal Cut, Medium Fine	52
263 004	File Blades Diagonal Cut, Coarse	52
267 400	Window Moulding Remover	52
268 220	Carbide Scraper Kit	40
268 320	XL Carbide Scraper Kit	40
268 400	Chisel Scraper Kit, 4pcs	55
268 405	Chisel Scraper, 30° Bend	55
268 420	Quick-Lock Razor Scraper	56
268 421	Replacement Blade Plastic, 10pcs.	56
268 422	Replacement Blade Stainless Steel, 10pcs.	56
268 430	Quick-Lock Razor Scraper 12"	56
268 440	Quick-Lock Razor Scraper 16"	56
268 500	Pro-Xknife Kit, 3pcs	57
272 217	Flexy Dolly Set in Case, 7pcs	53
272 333	Bumping Kit, 3pcs	53
272 412	Universal Panel Beating Kit	54
276 100	Mini Pry Bar Kit	65
276 301/V2	Heavy Duty Pry Bar 24" x 90°	64
276 302/V2	Heavy Duty Pry Bar 35 3/4" x 45°	64
276 303/V2	Heavy Duty Pry Bar 24" x 60°	64
276 342/V2	Heavy Duty Pry Bar "DUO HANDLE"	64
277 003	Removal Wedge 19.5"	58
277 004	Combi Wedge	59
277 004-10	Combi Wedge, 10Pack	59
277 007	Plastic Clip Pliers / Fuse Puller	60
277 007-10	Plastic Clip Pliers / Fuse Puller, 10Pack	60
277 008	Clip Lifter	60
277 008-10	Clip Lifter, 10Pack	60
277 015	Clip Lifter Set, 5pcs	61
277 023	XL-Clip Lifter Kit, 3pcs	61
277 030	Pocket Lever	58
277 030/2	Pocket Lever, 2 pcs.	59
277 046	Universal Hook	59
277 047	Combi Wedge and Universal Hook	59
282 005	Pick & Finishing Hammer 120mm, Ø 30mm	63
282 006	Pick & Finishing Hammer 140mm, Ø 40mm	63
282 160	Pick & Finishing Hammer 160mm, Ø 40mm	63
282 230	Wheel Weight Remover	22

282 240	Wheel Weight Plier	22
282 260	Conical Eraser for Rims	23
282 260/Kit	"Conical Eraser for Rims incl. Adapter for Drill-Chuck"	23
290 214	VIBRO-IMPACT® Pin 6.5mm	20 80
290 231	Concave Hammer Insert 6"	20 80
290 232	Concave Hammer Insert 12"	20 80
290 236	VIBRO-IMPACT® Pin driver 8mm drop forged, center head	20 80
290 237	VIBRO-IMPACT® Pin driver 10mm drop forged, center head	20 80
290 238	VIBRO-IMPACT® Pin driver 12mm drop forged, center head	20 80
290 239	VIBRO-IMPACT® Pin driver 12mm drop forged, center head	20 80
290 245	VIBRO-IMPACT® Needle Scaler	81
297 001	Micro Die Grinder "BIONIGRIP"	84
297 001/Kit	Carbide Milling and Grinding Burrs Set, 5pcs	84
297 001/KUD3	Ball Head Burrs 4.0 mm Shank 3.0mm, Pack 3pcs	84
297 001/RBF3	Small Rounded (Round Tree) Tip Burrs 3.0mm, Pack 3pcs	84
297 001/SPG3	Pointed Tip (Pointed Tree) Burrs 3.0mm, Pack 3pcs	84
297 001/WRC3	Rounded Tip (Bull Nosed) Burrs 3.0mm, Pack 3pcs	84
297 001/ZYB3	Cylindrical with End Cut Burrs 3.0mm, Pack 3pcs	84
297 003	Mini Angle Disc Cutter	84
297 010	Air Eraser	23
297 013	Adapter for Drill-Chuck	23
350 004	Adjusting Tool for Spraying Nozzle	65
401 001	Spot Weld Drill	50
404 008	Spot Welding Drill Bit HSSE-TICN 8 x 39 mm	50
404 080	Spot Welding Drill Bit HSSE 8 x 39 mm	50
404 108	Spot Welding Drill Bit HSSE 8 x 44 mm	50
404 408	Spot Welding Drill Bit HSSE-TICN 8 x 44 mm	50
404 608	Spot Welding Drill Bit HSSE 8 x 45 mm	50
404 780	Spot Welding Drill Bit HSSE-TICN 8 x 45 mm	50
431 030	Special Counter-Holding Wrench Kit	20
432 005	Twin-Cone Wheel Bearing Kit	4
432 030	Uni Wheel Bearing Kit	4
432 600	Universal Press Disc Kit	5
432 650	Universal Press Support	3
432 711	Universal Press Ring	5
432 910	Suspension Wear Indicator	6
433 100	Suspension Kit	7
433 414	Uni Drive Shaft Pusher / Hub Puller * Original "VIBRO-IMPACT"	7
433 433	Wheel Hub Basic Unit	8
433 437	XL Wheel Hub Slide Hammer	8
433 450	XL Slide Hammer with 13 lb / 6 Kg Weight	8
433 450/14	Adapter UN 1 1/2"	8
433 450-3	6.6 lb / 3 kg add on weight for additional power	8
433 500	Wheel Hub Grinder Type 1, 1/2" drive, Ø 3" internal	25
433 501	Spare Disc for Wheel Hub Grinder, 3pcs	25
433 502/M	Wheel Hub Grinder Type 1 (1 holder + 1 disc) Ø 6 1/4"	25
433 503	Spare discs, 3pcs	25
433 504	Wheel Hub Grinder Type 1, 3" internal	26
433 505	Spare Discs for Wheel Hub Grinder 1, 3" internal, 3 pcs Also fits basic unit no. 433 502.	26
433 507	Inner Rim Cleaner	24
433 508	Replacement Discs for Inner Rim Cleaner, 3pcs	24


433 618	Aluminium-Wheel Hub Grinder Type 2 with 11 Discs	27
433 618/M	8-point-Alu-Wheel Hub Grinder Type 2 with 5 Discs	27
433 628	Wheel hub grinder kit 1/2"	28
433 648	8-point spare disc small 5pcs	27 28
433 658	8-Point Spare Disc Large, 5pcs	27 28
433 700	Wheel Hub Grinder Type 3 (1 holder + 2 disc) Ø 7.8"	26
433 720	Spare Disc for Wheel Hub Grinder, 2pcs	26
433 918	Aluminium-Wheel Hub Grinder Trucks	27
433 958	8-Point Spare Disc, 5pcs	27
433 958/PUR	8-Point Spare Disc Rough, 5pcs	27
437 001	Valve Core Tool with valve core holder	33
437 001/4	Valve Core Tool with valve core holder, 4 pcs.	33
457 705	Line Wrench Kit, 5pcs 8, 9, 10, 11, 12 mm	30
457 705/SAE	Line Wrench Kit, 5pcs 5/16", 11/32", 3/8", 7/16", 1/2"	30
457 720	Line/Sensor Wrench Kit, 7pcs 13, 14, 15, 16, 17, 18, 19mm	30
457 803	XL Flare Nut Wrenches 10, 11, 12mm	31
457 810	XL Flare Nut Wrench 10mm	31
457 811	XL Flare Nut Wrench 11mm	31
457 812	XL Flare Nut Wrench 12mm	31
458 710/V2	Brake Line Wrench 10mm Long	32
458 711/V2	Brake Line Wrench 11mm Long	32
458 711-3	Silicone-hose incl. nipple	32
458 810/V2	Brake Line Wrench 10mm Short	32
458 811/V2	Brake Line Wrench 11mm Short	32
460 200	Brake Caliper File	33
460 202	Brake Caliper Thin File for Asian imports	33
460 300	Multi-Cleaner	29
460 340	Cleaning Pads 40mm, 2pcs	29
460 350	Cleaning Pads 50mm, 2pcs	29
462 002	Mini-Ratchet Pipe Cutter Ø 3/16"	34
462 040	Brake Line Straightener 3/16"	35
462 046	Brake Line Straightener 1/4"	35
467 000	Brake Caliper Brush Kit	34
467 001	Brake Caliper Brush Steel	34
467 002	Brake Caliper Brush Brass	34
468 020/47	2-Pin Adjustable Discs	35
468 020/48	3-Pin Adjustable Discs	35
468 026	Air Brake Piston Resetter	35
500 007	Hose Clamp Compressor, flexible with Universal Jaw (black)	39
500 008	Steel Cable, red	39
500 009	Steel Cable, green for french vehicles	39
500 035	Hose Clamp Plier Kit, 2pcs	42
500 220	Hose Removal Kit	43
506 021/Kit	Sensor Tap Kit M20x1.5 + M22x1.5	41
506 512	Sensor Tap M12x1.25 Extra Short, e.g. temperature sensors	41
506 514	Sensor Tap M14x1.5 Extra Short, e.g. temperature sensors	41
506 516	Sensor Tap M16x1.5 Extra Short, e.g. temperature sensors	41
506 518	Sensor Tap M18x1.5 Extra Short, e.g. oxygen-sensors	41
506 520	Sensor Tap M20x1.5 Extra Short, e.g. NOX-Sensors	41
506 522	Sensor Tap M22x1.5 Extra Short, e.g. particle filters	41
510 098	Creeper	87
512 002	Tie Rod Wrench	8
512 610	½" x 23 ¾" Ratchet Breaker Bar	66

INDEX

512 712	Alignment-Wrench for Mercedes Rear Axle Alignment	21	702 503	Flexible Magnetic Pick Up Tool, 3pcs: 270g, 500g, 1.800g	68	905 022	Uni-Hook-Kit flexible / universally adjustable; for use up to 8 LBS (5"x9¼")	38
514 300/2	Wheel Camber Adjuster, 2pcs	21	706 070	Ratcheting Screwdriver Kit	71	905 023	Uni-Hook-Kit 2x # 905 022 + 2x # 905 024	38
514 333	Wheel Camber & Door Hinge Kit	63	706 100	Screwdriver Kit, 5pcs	71	905 024	Uni-Hook-Kit rigid; for use from 8 LBS and up (5"x9¼")	38
514 333/M12	Special-Bit M12, extra short	21	706 300	XL-Torx Screwdriver, 6pcs, 300mm	72	905 026	HD Uni-Hook-Kit rigid; Use for up to 30 LBS (7" x 10.5")	38
514 513	Flexhead Ratchet	42	706 400	XL Hex Screwdriver Kit, 4pcs: 3, 4, 5, 6mm	72	905 041	Organizer GRIPTY Small 300x200x28mm	88
514 600	XS Bit Kit	36	711 100	Combination Wrench Kit	67	905 060	HD Multi-Purpose Scissor	76
515 007/V2	Diesel Filter Filler	44	727 090	DEF / AD-Blue 4-in-1 Refractometer	44	905 070	Mueller Heavy Duty Scissor with Cable Cutter	77
515 008	Fluid Suction Device	36	745 099	Wrench Extender Mini	9	905 080	Mueller Heavy Duty Scissor	77
551 005	Universal Belt Wrench	44	745 100	Wrench Extender Standard	9	905 090	Mueller Angled Heavy Duty Scissor	77
562 600	Carbide Tip Drill Bit Kit, 4pcs	51	745 101	Wrench Extender Medium	9	905 095	Multi-Purpose Cable cutter	76
562 603	Carbide Tip Drill Bit 3.0mm	51	745 102	Wrench Extender Large	37	905 100	Industrial Scissors, 3 pcs.: # 905 070, # 905 080, # 905 100	77
562 604	Carbide Tip Drill Bit 4.0mm	51	745 111	Multi Access Wrench Extender	9	905 115	Industrial Scissors, 15 pcs.	77
562 606	Carbide Tip Drill Bit 6.0mm	51	751 000	¾" Ratchet With Locking Extension Bar Set	78	905 143/Blue	Mini Magnetic Holder Kit, 4pcs, Blue, Ø 49mm, Length 51mm	70
562 607	Carbide Tip Drill Bit 7.0mm	51	800 200	XL Wheel Mounting Socket Kit, 3pcs	36	905 143/Neon	Mini Magnetic Holder Kit, 4pcs, Neon, Ø 49mm, Length 51mm	70
571 250	Crow Foot Wrench Kit, 19-41mm	66	800 610	Uni-Adapter Kit, 2pcs	73	905 143/Orange	Mini Magnetic Holder Kit, 4pcs, Orange, Ø 49mm, Length 51mm	70
571 400	Ratchet Flare Nut Wrench Kit SW 10-19mm x 3/8", 13 pcs.	45	801 024	Impact Socket SW24, long	79	905 165/Blue	Magnetic Holder Kit, 2pcs, Blue, Ø 75mm, Length 91mm	70
600 120-1	Injector Puller Adaptor	47	801 027	Impact Socket SW27, long	79	905 165/Neon	Magnetic Holder Kit, 2pcs, Neon, Ø 75mm, Length 91mm	70
600 121	Small Slide Hammer	47	801 030	Impact Socket SW30, long	79	905 165/Orange	Magnetic Holder Kit, 2pcs, Orange, Ø 75mm, Length 91mm	70
600 130	Uni Injector Puller Kit	47	801 032	Impact Socket SW32, long	79	909 600	ECO-LINE Screwdriver Kit, 6pcs Philip 0, 1, 2 + Flat blade 3mm, 5.5mm, 6.5mm	71
600 206	Glow Plug Extractor Kit	49	801 033	Impact Socket SW33, long	79	EQ-114/K	MUELLER-KUEPS Bag	93
600 240	Glow Plug Drill Kit M10x1	48	801 036	Impact Socket SW36, long	79	EQ-290 206	High Performance Air Hammer VIBRO-IMPACT® System	81
600 242	Glow Plug Drill Kit M12x1.25	48	801 041	Impact Socket SW41, long	79	EQ-290 300	Heavy Duty VIBRO-IMPACT® Air Hammer	82
600 245	Glow Plug Drill Kit M10x1.25	48	801 800	¾" Impact Socket Kit	79	EQ-290 300/KIT	Heavy Duty VIBRO-IMPACT® Air Hammer, Heavy Duty VIBRO-IMPACT® Flat chisel and Heavy Duty VIBRO-IMPACT® Pin Driver 20mm	82
600 248	Glow Plug Drill Kit M8x1	48	801 806	Drive Shaft Socket Kit ¾"	79	EQ-290 310	Heavy Duty VIBRO-IMPACT® Tie Rod	83
600 260	Glow Plug Brush Kit, 5pcs	49	805 024	XL-Impact Socket SW24	79	EQ-290 318	Heavy Duty VIBRO-IMPACT® Flat Chisel	83
600 270	XL Glow Plug Socket Kit 8, 10, 12mm, 3 pcs.	46	805 027	XL-Impact Socket SW27	79	EQ-290 319	Heavy Duty VIBRO-IMPACT® Flat Chisel, 60x400mm	83
600 300	Complete Kit for Glow Plugs Electrode Extraction	49	805 030	XL-Impact Socket SW30	79	EQ-290 320	Heavy Duty VIBRO-IMPACT® Hammer	83
604 230	Multi Function Micro Tool Kit, 3pcs	67	805 032	XL-Impact Socket SW32	79	EQ-290 321	Heavy Duty VIBRO-IMPACT® Pointed Insert, 400mm	83
608 950	Exentric Turn Chuck	9	807 005	Impact Extension 175mm	79	EQ-290 331	Heavy Duty VIBRO-IMPACT® Concave	83
609 033	Ball Joint Separator Kit	10	810 203	Polygon Impact Joint Kit	73	EQ-290 337	Heavy Duty VIBRO-IMPACT® Pin Driver, 20x500mm	83
609 033/5	Ball Joint Separator Kit incl. Wall Mount	10	810 700	½" XS-Stubby Impact Socket Kit 10-24mm On Rail	85	EQ-290 338	Heavy Duty VIBRO-IMPACT® Pin Driver 20mm	83
609 035	Bell Shape Separator 1 3/8"	11	810 808	Duo Drive XZN Socket Kit Impact, 8pcs	73	EQ-294 112	½" XS Impact Wrench, Ultra Short	85
609 147/V2	Pressure Piece Kit LT/Sprinter	11	841 001	Brass Mounting Punch 20x300mm	20	EQ-350	Uni-Worktable	89
609 312	Universal Base Frame incl. 12 ton. Hydraulic Spindle (7.9") long	16	841 001	Brass Mounting Punch 20x300mm	80	EQ-370	Garage Service Cart	90
609 315	XL Press Frame without Spindle 13.8" length	16	841 030	Aluminium Mounting Punch 30x300mm	20	EQ-371	Press and Pull Sleeve Kit in Garage Service Cart	91
609 316	XL Press Frame with Impact Spindle (13.8") long	16	841 030	Aluminium Mounting Punch 30x300mm	80	M906 016	MUELLER-KUEPS Beer Mug	93
609 390	XS Press and Pull Sleeve Kit	12	902 350	Tooltrays 6Pack 2x neon, 2x orange, 2x blue	86	M906 017	MUELLER-KUEPS Baseball-Cap	92
609 390/Basic	XS Press and Pull Sleeve Kit Basic	12	904 980	LED Penlight	74	M906 018	MUELLER-KUEPS Bottle Opener	93
609 399	Press and Pull Sleeve Kit Basic	13	904 980/10	LED Penlight, 10Pack	74	M906 021	MUELLER-KUEPS Beanie	92
609 399/Upgrade	Press and Pull Sleeve Kit Upgrade	13	904 985	LED Work Light	74	M906 026	MUELLER-KUEPS Pro-Corkscrew	93
609 400	Press and Pull Sleeve Kit	13	904 985/10	LED Work Light, 10Pack	74	M-HOODIE-2XL	MUELLER Hoodie, Size: XXL	92
609 400/460	Press and Pull Sleeve Combination Kit	14	904 996	LED-DUO Lamp / Wireless Charger	74	M-HOODIE-3XL	MUELLER Hoodie, Size: XXXL	92
609 420	Universal Press and Pull Sleeve Kit Type II	15	905 000/3	Kneeling Pad, 3pcs, 18.9" x 1.4" x 12.6"	75	M-HOODIE-L	MUELLER Hoodie, Size: L	92
609 420/Basic	Universal Press and Pull Sleeve Kit Type II Basic	15	905 001	Mechanic Mat, 1pc, 45.2" x 1.4" x 21.7"	75	M-HOODIE-M	MUELLER Hoodie, Size: M	92
609 460	C-Clamp with Impact Spindle	16	905 007/Darkblue	Magnetic Parts Bowl, 2pcs, Darkblue	69	M-HOODIE-XL	MUELLER Hoodie, Size: XL	92
609 465	Combo with # 609 315 + # 609 460 in Foam Inlay	16	905 007/Gray	Magnetic Parts Bowl, 2pcs, Gray	69	M-ZOODIE-2XL	MUELLER Zipper Hoodie, Size: XXL	92
650 200	Universal Race Puller	18	905 007/Neon	Magnetic Parts Bowl, 2pcs, Neon	69	M-ZOODIE-3XL	MUELLER Zipper Hoodie, Size: XXXL	92
650 350	Universal Micro Puller Kit	62	905 007/Orange	Magnetic Parts Bowl, 2pcs, Orange	69	M-ZOODIE-L	MUELLER Zipper Hoodie, Size: L	92
650 370	Wiper Arm Puller Kit	62	905 010/L	T-Shirt, Size: L	92	M-ZOODIE-M	MUELLER Zipper Hoodie, Size: M	92
650 500	Uni Puller Set XS	19	905 010/M	T-Shirt, Size: M	92	M-ZOODIE-XL	MUELLER Zipper Hoodie, Size: XL	92
650 500/Basic	Uni Puller Set XS Basic	19	905 010/S	T-Shirt, Size: S	92			
650 700	Hydraulic Twin / Triple Leg Puller System	18	905 010/XL	T-Shirt, Size: XL	92			
651 001	Spark and Glow Plug Starter	47	905 010/XXL	T-Shirt, Size: XXL	92			
702 018	Flexible Magnetic Pick Up Tool, 1.800g	68	905 014/CAN	Canada Sticker	93			
702 030	Flexible Magnetic Pick Up Tool, 3.000g	68	905 014/USA	USA Sticker	93			
702 270	Flexible Magnetic Pick Up Tool, Green	68	905 015/USA	USA Magnet Sign	93			
702 271 orange	Flexible Magnetic Pick Up Tool, Orange	68	905 016	MUELLER Truck Sticker	93			
702 273 red	Flexible Magnetic Pick Up Tool, Red	68						
702 500	Flexible Magnetic Pick Up Tool, 500g	68						

We innovate tools!

AWESOME METAL *Special*



WATCH DEMO HERE:



MUELLER-KUEPS LP

2220 Northmont Parkway #250
Duluth, GA 30096

Phone: +1 770 349 6331
Fax: +1 678 417 6273

info@mueller-kueps.com
www.mueller-kueps.com



MÜLLER-WERKZEUG Benelux

Toepadweg 4
NL-5301 KA Zaltbommel

Phone: +31 (0)418 / 68 03 43
Fax: +31 (0)418 / 68 03 44

info@mueller-werkzeug.nl
www.mueller-werkzeug.nl



MÜLLER-WERKZEUG GmbH & Co KG

Flurstraße 13
D-96215 Lichtenfels

Telefon: +49 (0) 95 71 / 169 87-0
Fax: +49 (0) 95 71 / 169 87-99

info@mueller-werkzeug.de
www.mueller-werkzeug.de