

Home Hub with E1 Outdoor

5MP PTZ WiFi surveillance system, pan-tilt & auto-tracking, spotlight night vision, 3× optical zoom, weekly report, etc. Supports two up to 512GB microSD card and up to 8 Reolink cameras.

- 360° coverage with auto-tracking
- 24/7 Recording
- Anti-Theft Algorithms & Privacy Protection
- Supports up to 8 Reolink cameras



Specifications

Device Management	
Camera	Up to 8 cameras
Device Compatibility	All Reolink Wi-Fi/PoE cameras (Battery cameras require a firmware upgrade)
Safety Protection	Account access and sharing options for individual devices are only available through Home Hub
Input/Output	
HDMI	NO
USB	NO
Reset Button	YES
Power	DC 12V/1A
Speaker	YES (Max. 115dB)
Ethernet	1*10M/100M bit RJ45 port for WAN

Storage	
SATA	NO
microSD Card Slot	Up to 512GB*2
Backup Media	NO
Storage Encryption	Protect privacy and prevent theft with AES-128 encryption algorithm
Preview & Playback	
Live View	APP, PC Client
Playback	Smart playback/event history
Wi-Fi	
Wireless Standard	IEEE 802.11 a/b/g/n/ac/ax (Wi-Fi 6)
Operating Frequency	2.4/5 GHz
Wireless Security	WPA/WPA2/WPA3
Sub-1 GHz	
Operating Frequency	868/915MHz
System	
Network Protocols	TCP/IP, UDP, DHCP, P2P, UPNP, RTSP,RTMP, SMTP, SSL/TLS, DNS, DDNS, NTP, FTP
OS Supported	PC: Windows, Mac OS; Smartphone: iOS, Android
Max. User Access	11 users (1 admin account & 10 shared accounts)
Smart Home	Google Assistant
Working Environment	
Operating Temperature	-10°C~+45°C
Operating Humidity	10%~90%
Mechanical	
Dimensions	95*95*161.8mm
Weight	441g

Warranty


Limited Warranty

2-year limited warranty. For support, visit <https://support.reolink.com/hc/en-us/>

Gallery & Specs



1. Button
2. Indicator Light
3. Vent



1. DC Input Port
2. microSD Card Slot
3. Speaker
4. LAN Port
5. Vent



1. Daylight Sensor
2. 4 Spotlights
3. Lens
4. 12 IR LEDs
5. Status LED



1. Micro SD Card Slot
2. Power
3. Network
4. Power Cable
5. Speaker

www.reolink.com